



# Alemilube



Hose Reel Catalogue | 2011

HOSE  
REEL

# CONTENTS

■ SW500 S Series Water Hose Reel	3
■ WP1290 Large Capacity Water Hose Reel	3
■ S Series Air Hose Reels	4
■ Compact Economy AP Series Air Hose Reels	4
■ AWS812 Premium Quality Air Hose Reel	5
■ OS615 Oxy Acetylene Hose Reel	5
■ AWP Series Premium Quality Air and Water Hose Reels	5
■ Low and Medium Pressure Stainless Steel Spring Rewind Hose Reels	6
■ 100 Series Stainless Hand Rewind Hose Reels	6
■ 1125 Series Hand Rewind Hose Reels	7
■ 1125 Series Power Rewind Hose Reels	7
■ 1175 Series Hand Rewind Hose Reels	8
■ 1175 Series Power Rewind Hose Reels	8
■ 1185 Series 1" Large Capacity Hose Reels	9
■ 1195 Series 2" Large Capacity Hose Reels	9
■ 100 Series Compact Hand Rewind Hose Reels	10
■ H Series Hand Rewind Hose Reels	10
■ Control Valves and Meters	11
■ Medium Pressure Spring Rewind Hose Reels	12
■ Low Pressure Spring Rewind Hose Reels	12
■ 8080 Series Heavy Duty Spring Rewind Hose Reels	13
■ Piusi Fuel Hose Reels	13
■ 506 Series Samoa Economy Hose Reels	14
■ 502 Series Spring Rewind Hose Reels	14
■ 505 Series Spring Rewind Hose Reels	15
■ 504 Series Spring Rewind Hose Reels	15

Alemlube is a progressive, innovative and customer focussed 100% Australian owned company.

The success of Alemlube is driven by our core business of supplying and servicing greasing equipment, drum pumps and hose reels. Additionally, two highly motivated divisions within the company are building on this success with the supply, installation and commissioning of vehicle hoists, dispensing and waste oil handling equipment to automotive, transport, hire company and minesite workshops, and the design, supply, installation and commissioning of auto-lube systems to the industrial, transport and mining sectors.

Representing many of the most established and reputable US and European based manufacturers in our field, Alemlube likes to keep things simple. In line with this philosophy, our main focus is to have the right products at the right place at the right price at the right time.

With our Head Office located in Sydney and branches in Sydney, Brisbane, Mackay, Melbourne, Adelaide, Perth and Tasmania plus an active distributor in Auckland New Zealand, we can provide sales support, technical assistance and product promptly and effectively throughout Australia and New Zealand. And our nationwide network of 60 Authorised Service Agents ensures that after sales service is always close at hand.

While our main focus has been and always will be our customers, our relentless pursuit of innovation and progress results in continued and ongoing improvements in our products, our product range and our internal systems and procedures.

Now recognised as the largest and most successful company in our field here in Australia our new objective is that we can be benchmarked and recognised as one of the most consistent, reliable and valuable suppliers of products and services to companies operating in the industrial, mining, agricultural and automotive sectors in this country.

At Alemlube, we understand your need to be productive and our commitment in offering you the best products, services and solutions.

---

## SW500

### S SERIES WATER HOSE REEL

---

- Impact resistant UV stabilised covers for maximum durability
- Automatic and positive latching mechanism
- Can be mounted on the floor, wall or ceiling
- Adjustable spring tension
- High flow swivel and fluid path facilitates maximum air flow
- Crimped hose ends reduce OH&S concerns and air leaks
- Includes detachable steel mounting bracket, 15 metres of 12mm ID hose, a 1.2 metre lead in hose and a water nozzle



---

## WP1290

### LARGE CAPACITY WATER HOSE REEL

---

- Stores and retrieves up to 30 metres of 12mm ID hose
- 3/4" BSP (m) inlet and outlet threads
- Durable impact and weather resistant covers ensure a long working life
- Positive latching system locks the hose at the desired length
- Convenient carry handle facilitates easy movement of the hose reel as required
- Integral swivel bracket assists in reel mounting and demounting



## S SERIES AIR HOSE REELS

- Impact resistant UV stabilised covers for maximum durability
- Automatic and positive latching mechanism
- Can be mounted on the floor, wall or ceiling
- Adjustable spring tension
- High flow swivel and fluid path facilitates maximum air flow
- Crimped hose ends reduce OH&S concerns and possible air leaks
- Detachable steel mounting bracket included standard enables 180° hose reel rotation

Part No.	Description
SA300	18m x 10mm ID hose & 0.9m lead in hose
SA400	15m x 12mm ID hose & 0.9m lead in hose



## COMPACT ECONOMY AP SERIES AIR HOSE REELS

- Compact plastic covered hose reel is ideal for smaller type workshops or where work space is at a premium
- Lightweight & portable with built carry handle for using where and when required
- Complete with wall/ceiling mounting bracket and a 0.9 metre lead in hose
- Maximum operating pressure of 300psi
- Maximum working temperature of 60°C

Part No.	Description
AP1009	9m x 10mm ID hose
AP609	9m x 6mm ID hose



## AWS812

### PREMIUM QUALITY AIR & WATER HOSE REEL

- Features moulded steel and electrostatically painted covers, reinforced polyurethane hose and 4 way roller guide assembly
- Includes 12m of 8mmID delivery hose and short lead in hose
- Heavy duty external steel swivel provides years of trouble free operation
- Manufactured in Italy with quality, performance and longevity in mind
- Ideal for industrial or production line applications



## OS615

### OXY ACETYLENE HOSE REEL

- Heavy duty steel construction with corrosion resistant powder coat finish
- Double o'ring design prevents leaks
- Maximum working pressure of 300psi
- Supplied inclusive of 15 metres of 1/4" ID hose and 1.5 metre lead in hose
- Suitable for use on utes, tray top and flat bed trucks
- Ideal for contractors, fabricators and people involved in the construction industry



## AWP SERIES

### PREMIUM QUALITY AIR AND WATER HOSE REELS

- Constructed in high impact polypropylene
- Maximum working pressure of 220psi
- Supplied with fitted hose and integral mounting bracket
- Hose latching at any length or a free run option
- Two way roller guides extend hose life
- Powder coated integral wall/ceiling mounting bracket won't corrode or distort
- 90cm long lead in hose supplied standard
- Ideal for workshops where space is limited



Part No.	Description
AWP1014	14m x 10mm ID hose with 3/8" BSP (f) inlet and outlet threads
AWP1215	15 m x 12mm ID hose with 1/2" BSP (f) inlet and outlet threads

## LOW & MEDIUM PRESSURE STAINLESS STEEL SPRING REWIND HOSE REELS

- High quality electro-polished stainless steel construction
- Engineered and designed for non-corrosive applications such as food and chemical processing, marinas
- Compact space saving size
- P, SH & T Series: working pressures of up to 300psi
- MP Series: working pressures of up to 3000psi

Part No.	Description
P-LPL-335-SS	stores and retrieves up to 10m x 9mm ID hose
P-LPL-425-SS	stores and retrieves up to 7m x 12mm ID hose
SHL-N-350-SS	stores and retrieves up to 15m x 9mm ID hose
SHL-N-450-SS	stores and retrieves up to 15m x 12mm ID hose
SHL-N-525-SS	stores and retrieves up to 7m x 19mm ID hose
MPL-N-350-SS	stores and retrieves up to 15m x 9mm ID hose
MPL-N-450-SS	stores and retrieves up to 15m x 12mm ID hose

Part No.	Description
TSHL-N-4100-SS	stores and retrieves up to 30m x 12mm ID hose
TSHL-N-550-SS	stores and retrieves up to 15m x 19mm ID hose

Note: T Series not depicted



## 100 SERIES STAINLESS STEEL HAND REWIND HOSE REELS

- High quality electro-polished stainless steel construction
- Engineered and designed for non-corrosive applications such as food and chemical processing, marinas
- Compact space saving size
- Working pressures of up to 3000psi

Part No.	Description
112-4-75-SS	stores and retrieves up to 22m x 12mm ID hose
117-4-225-SS	stores and retrieves up to 68m x 12mm ID hose
117-5-100-SS	stores and retrieves up to 30m x 19mm ID hose



## 1125 SERIES HAND REWIND HOSE REELS

- All metal construction
- Engineered and designed for use in challenging, heavy duty applications
- Solid steel crank with smooth round handle
- Pressures of up to 3,000psi

Part No.	Description
1125-4-100	stores and retrieves up to 30m x 12mm ID hose
1125-4-200	stores and retrieves up to 60m x 12mm ID hose
1125-4-325	stores and retrieves up to 99m x 12mm ID hose
1125-4-450	stores and retrieves up to 137m x 12mm ID hose
1125-4-500	stores and retrieves up to 152m x 12mm ID hose
1125-5-50	stores and retrieves up to 15m x 19mm ID hose
1125-5-100	stores and retrieves up to 30m x 19mm ID hose
1125-5-175	stores and retrieves up to 53m x 19mm ID hose
1125-5-200	stores and retrieves up to 60m x 19mm ID hose
1125-5-250	stores and retrieves up to 76m x 19mm ID hose
1125-6-35	stores and retrieves up to 10m x 25mm ID hose
1125-6-50	stores and retrieves up to 15m x 25mm ID hose
1125-6-75	store and retrieve up to 22m x 25mm ID hose
1125-6-100	stores and retrieves up to 30m x 25mm ID hose



## 1125 SERIES POWER REWIND HOSE REELS

- All metal construction
- Engineered and designed for use in challenging, heavy duty applications
- Complete with direct gear drive
- Pressures of up to 3,000psi

Part No.	Description
1125-4-100H	stores and retrieves up to 30m x 12mm ID hose
1125-4-200H	stores and retrieves up to 60m x 12mm ID hose
1125-4-325H	stores and retrieves up to 99m x 12mm ID hose
1125-4-450H	stores and retrieves up to 137m x 12mm ID hose
1125-4-500H	stores and retrieves up to 152m x 12mm ID hose
1125-5-50H	stores and retrieves up to 15m x 19mm ID hose
1125-5-100H	stores and retrieves up to 30m x 19mm ID hose
1125-5-175H	stores and retrieves up to 53m x 19mm ID hose
1125-5-200H	stores and retrieves up to 60m x 19mm ID hose
1125-5-250H	stores and retrieves up to 76m x 19mm ID hose
1125-6-35H	stores and retrieves up to 10m x 25mm ID hose
1125-6-50H	stores and retrieves up to 15m x 25mm ID hose
1125-6-75H	stores and retrieves up to 22m x 25mm ID hose
1125-6-100H	stores and retrieves up to 30m x 25mm ID hose



## 1175 SERIES HAND REWIND HOSE REELS

- All metal construction
- Engineered and designed for use in challenging, heavy duty applications
- Solid steel crank with smooth round handle
- Pressures of up to 3,000psi
- Zinc plated steel swivels with AFLAS swivel seals

Part No.	Description
1175-6-50	stores and retrieves up to 15m x 25mm ID hose
1175-6-100	stores and retrieves up to 30m x 25mm ID hose
1175-6-125	stores and retrieves up to 38m x 25mm ID hose
1175-6-150	stores and retrieves up to 45m x 25mm ID hose
1175-6-200	stores and retrieves up to 60m x 25mm ID hose



## 1175 SERIES POWER REWIND HOSE REELS

- All metal construction
- Engineered and designed for use in challenging, heavy duty applications
- Complete with chain and sprocket drive
- Pressures of up to 3,000psi
- Zinc plated steel swivels with AFLAS swivel seals

Part No.	Description
1175-6-50H	stores and retrieves up to 15m x 25mm ID hose
1175-6-100H	stores and retrieves up to 30m x 25mm ID hose
1175-6-125H	stores and retrieves up to 38m x 25mm ID hose
1175-6-150H	stores and retrieves up to 45m x 25mm ID hose
1175-6-200H	stores and retrieves up to 60m x 25mm ID hose





## 1185 SERIES

### LARGE CAPACITY HOSE REELS

- All metal construction
- Engineered and designed for use in challenging, heavy duty applications
- Pressures of up to 600psi
- Nitrile swivel seals

Part No.	Description
1185-1124	stores and retrieves up to 15m x 38mm ID hose
1185-1524	stores and retrieves up to 22m x 38mm ID hose
1185-2024	stores and retrieves up to 30m x 38mm ID hose
1185-2028	stores and retrieves up to 38m x 38mm ID hose
1185-2528	stores and retrieves up to 45m x 38mm ID hose
1185-3324	stores and retrieves up to 53m x 38mm ID hose
1185-3328	stores and retrieves up to 76m x 38mm ID hose
1185-2024A	Air rewind model, stores and retrieves up to 30m x 38mm ID hose
1185-2028A	Air rewind model, stores and retrieves up to 38m x 38mm ID hose



## 1195 SERIES

### 2" LARGE CAPACITY HOSE REELS

- All metal construction
- Pressures of up to 600psi
- Supplied with 90o ball bearing 2"NPT swivel inlet
- Suitable for air, water, fuel and waste oil transfer
- Engineered and designed for use in challenging, heavy duty applications

Part No.	Description
1195-932	stores and retrieves up to 15m x 50mm ID hose
1195-1332	stores and retrieves up to 22m x 50mm ID hose
1195-2032	stores and retrieves up to 35m x 50mm ID hose
1195-1728	stores and retrieves up to 18m x 50mm ID hose
1195-2428	stores and retrieves up to 27m x 50mm ID hose
1195-3228	stores and retrieves up to 38m x 50mm ID hose
1195-1332A	Air rewind model, stores and retrieves up to 22m x 50mm ID hose




## 100 SERIES

### COMPACT HAND REWIND HOSE REELS

- Standard working pressures of up to 4,000psi
- Reel handles fluid temperatures from -29°C up to +99°C
- Adjustable drag brake eliminates hose backlash while the hose is unreeling
- Other models for larger and longer hoses available

Part No.	Description
112-3-100	stores and retrieves up to 30m x 9mm ID hose
112-3-150	stores and retrieves up to 45m x 9mm ID hose
117-3-250	stores and retrieves up to 76m x 9mm ID hose
117-3-400	stores and retrieves up to 121m x 9mm ID hose
117-3-550	stores and retrieves up to 167m x 9mm ID hose
112-4-75	stores and retrieves up to 22m x 12mm ID hose
117-4-225	stores and retrieves up to 68m x 12mm ID hose
117-4-350	stores and retrieves up to 106m x 12mm ID hose
117-5-100	stores and retrieves up to 30m x 19mm ID hose



## H SERIES

### HAND REWIND HOSE REELS

- Constructed from heavy gauge powder coated steel
- Maximum operating pressure of 3,000psi
- Full flow brass swivel ensures maximum product delivery
- Suitable for floor, workbench, wall and mobile applications
- Open hose slot design with self-lubricating bearings

Part No.	Capacity
H10120	40m x 9mm ID hose
H12060	20m x 12mm ID hose
H10300	100m x 9mm ID hose
H12220	75m x 12mm ID hose



## CONTROL VALVES METERS AND NOZZLES



### 630010 MANUAL PLASTIC FOOD & WATER NOZZLE

- Moulded body and seals make the nozzle suitable for use with water and some foods
- Flow rates of up to 80LPM
- Inlet hose tail connection for 3/4" OD hose
- Equipped with lever protection and a removable trigger lock
- External spout diameter of 34mm
- Also suitable for the transfer of diesel fuel, unleaded petrol and oil



### 51114 DIGITAL TYRE INFLATOR

- Aluminium body with oil resistant rubber casing
- 5psi to 150psi measuring range
- Accurate to  $\pm 1\%$
- Two position lever for inflation and deflation
- Display powered by two CR2032 Lithium batteries
- Battery life of 140 hours



### 363078 ON/OFF CONTROL VALVE

- Heavy duty oil control valve supplied inclusive of an inlet swivel is ergonomically designed to minimise operator fatigue
- A flexible outlet hose makes for quicker and easier lubricant delivery
- 1/2" BSP (f) swivel supplied standard
- Genuinely heavy duty cast alloy body
- Non drip automatic open, manual close nozzle minimises oil drips



### 51037/51039 AUTO SHUTOFF FUEL NOZZLE

- Automatically shuts off when a fuel tank is full
- Can operate with flow rates of up to 60 LPM
- Suitable for applications involving a pump only
- 1" BSP swivel included

**51039** as above but can operate with flow rates of up to 120 LPM



### 365603 ELECTRONIC OIL METER

- Maximum flow rate of 20LPM
- 1/2" BSP (f) swivel
- Runs with standard AAA batteries
- Maximum operating pressure of 1,000psi
- Accurate to  $\pm 0.5\%$
- Swivelling outlet hose assists during the oil delivery process



### K500N ELECTRONIC PRESET OIL METER

- Maximum flow of 20LPM
- Minimum flow of 1 LPM
- 1/2" BSP (f) swivel supplied standard
- Weight: 1.5Kg
- Maximum operating capacity: 1,015psi
- Accurate to  $\pm 0.3\%$
- Up to five preselected batch quantities are programmable into the meter's memory



### 51037-AD ADBLUE AUTOMATIC NOZZLE

- Automatically shuts off when the tank is full
- Flow rates of up to 35LPM
- Strong aluminium housing encases in rubber
- Lever protection prevents accidental dispensing
- Suitable for the transfer of Urea



### 630010-AD ADBLUE MANUAL NOZZLE

- Highly efficient with low flow resistance
- Flow rates of up to 80LPM
- Features include lever protection and a removable trigger lock
- Suitable for the transfer of Urea



### 413077 GREASE CONTROL VALVE

- Standard duty grease control valve with rigid outlet and 3 jaw coupler
- Ergonomic design
- 1/4" BSP (f) inlet thread

## MEDIUM PRESSURE SPRING REWIND HOSE REELS

- All metal construction
- Engineered and designed for large diameter hose and heavy duty applications
- Non-corrosive stainless steel pawl spring
- Long lasting self-lubricated flange bearings

Part No.	Description
SMP-4100	30m x 12mm ID hose capacity with 2,000psi working pressure
SMP-550	15m x 19mm ID hose capacity with 1,250psi working pressure
SMP-575	22m x 19mm ID hose capacity with 1,500psi working pressure
SMP-5100	30m x 19mm ID hose capacity with 1,500psi working pressure



## LOW PRESSURE SPRING REWIND HOSE REELS

- All metal construction
- Engineered and designed for large diameter hose and heavy duty applications
- Maximum operating pressure of 300psi
- Non-corrosive stainless steel pawl spring
- Long lasting self-lubricated flange bearings

Part No.	Description
SLP-4100	30m x 12mm ID hose capacity
SLP-550	15m x 19mm ID hose capacity
SLP-575	22m x 19mm ID hose capacity
SLP-5100	30m x 19mm ID hose capacity
SLP-625	7m x 25mm ID hose capacity
SLP-650	15m x 25mm ID hose capacity
SLP-675	22m x 25mm ID hose capacity



## 8080 SERIES

### HEAVY DUTY SPRING REWIND HOSE REELS

- Heavy duty containerised and gasketed spring assembly
- High volume delivery
- Sealed spring cassette
- Superior bearing performance reduces torque load and facilitates smooth retraction
- Adjustable arm allows for floor, ceiling, wall or vehicle mounting
- Narrow width enables the user to fit more reels in limited space applications
- Latch pawl spring and roller guide assembly covered by lifetime guarantees

Part No.	Description
8080-A	For grease 24m x 9mm ID hose capacity; up to 6,000psi working pressure
8080-B	For oil 24m x 12mm ID hose capacity; up to 1,500psi working pressure
8080-C	For air and water 24m x 12mm ID hose capacity; up to 300psi working pressure
8080-E	For fuel 5m x 19mm ID hose capacity; up to 1,000psi working pressure
8080-F	For air and water 25m x 19mm ID hose capacity; up to 1,000psi working pressure
8080-G	For oil, air, water and fuel 15m x 24mm ID hose capacity; up to 1,000psi working pressure



## PIUSI

### FUEL HOSE REELS

- Latest hydraulic design principles result in reduced pressure loss even for high flow pumps
- Sturdy metal construction
- Maximum operating pressure of 145psi
- covered latch mechanism protects against accidental contact with the hands
- Adjustable arms for ease of positioning as required
- Bare reel depicted

Part No.	Description
750030	Supplied with 8m of 19mm ID fuel delivery hose
750040	Supplied with 10m of 19mm ID fuel delivery hose



## 506 SERIES

### SAMOA ECONOMY HOSE REELS

- Lightweight one piece molded composite barrel assembly
- Pressure cast aluminium arm and base for extra rigidity
- Extra large 4 x 10mm long plastic ratchet mechanism and latch paul ensure a spark free and safe operation
- 3 position adjustable outlet arm facilitates ceiling or floor mounting
- Full ported shaft and swivel facilitates maximum product delivery
- High durability enclosed spring mechanism provides years of trouble free operation
- 0.8m long inlet hose included as standard
- Lightweight at just 13kg (506202) makes installation of the reels a quicker & easier proposition
- Hose reel guide with 6 rollers facilitates minimum hose wear and maximises hose assembly life
- Convenient access to the swivel for ease of assembly maintenance
- Covered by a unique two year warranty

Part No.	Description
506101	Air hose reel 10mm ID x 10m capacity
506202	Oil hose reel 12mm ID x 10m capacity
506300	Grease hose reel 6.4mm ID x 10m capacity



## 502 SERIES

### SPRING REWIND HOSE REELS

- Two corrosion proof die cast aluminium shields
- All metal construction with forged brass shaft for corrosion free and leak proof operation
- Can be wall, ceiling, floor or tank mounted

Part No.	Description
502100	For air and low pressure water With 8m x 9mm ID hose capacity and 220psi working pressure
502200	For oil With 8m x 12mm ID hose capacity and 1100psi working pressure
502300	For grease With 8m x 6mm ID hose capacity and 5100psi working pressure
502400	For high pressure water With 30m x 9mm ID hose capacity and 5100psi working pressure



## 505 SERIES

### SPRING REWIND HOSE REELS

- All metal, heavy duty, reinforced construction
- Dual pedestal, high volume spring reel c/w hose and 0.8 metre lead in hose
- Full flow 3/4" shaft and swivel for no flow restrictions
- Repositionable arms enable the reel to be floor, ceiling, wall or tank mounted
- Suitable for the transfer of air, water, oil, waste oil or fuel

Part No.	Description
505200	With 20m x 12mm ID hose capacity and 1100psi working pressure
505201	With 15m x 19mm ID hose capacity and 1100psi working pressure



## 504 SERIES

### SPRING REWIND HOSE REELS

- Forged brass shaft assures corrosion free and leak proof operation
- A specially treated spring provides long life and trouble free operation
- Multi stage mounting arms allow for the reels to be floor, ceiling, wall or truck mounted
- Inlet and delivery hoses included
- Modular spring cassette for ease of servicing

Part No.	Description
504100	For air and low pressure water With 15m x 12mm ID hose capacity and 220psi working pressure
504200	For oil With 15m x 12mm ID hose capacity and 1100psi working pressure
504300	For grease With 15m x 6mm ID hose capacity and 5100psi working pressure
504400	For high pressure water With 15m x 9mm ID hose capacity and 3670psi working pressure



