Fat Adder
Remote Grease Lines

REMOTE GREASE LINES

AUTO LUBE FITTINGS
& ACCESSORIES

2026

WELCOME



Lubrication is the lifeblood of any machine. This is why greasing your machinery regularly is of utmost importance.

Whether you are driving a truck, tractor, ship, or maintaining a fixed plant, you need to make it easy, safe, and efficient to grease those moving parts.

With the extensive ***Fat Adder*** Remote Grease Line range, it is possible to grease those hard-to-reach, dangerous, or contaminated grease points — and in most cases, while the machine is running.

Even in the harshest conditions, ***Fat Adder*** Remote Grease Lines can meet your greasing needs. Irrespective of dust, salt water, vibration, or direct sunlight, Fat Adder Remote Grease Lines can be installed to your chosen lubrication point. Simply mount a Bulkhead, Grease Anchor Block, or Divider Valve, then install one of our high-pressure fitting and tube options to your existing grease nipple. You will then have a reliable and safe grease system that will last for years to come.

The ***Fat Adder*** Remote Grease Line systems can be customised to your application:

- 6mm nylon tube and compression fitting system
- 6mm nylon tube and push-in fitting system
- 6mm, 8mm, 10mm stainless tube and compression fitting system
- 8.6mm high-pressure tube with field-adaptable reusable fitting system
- 8.6mm high-pressure tube with field-adaptable 7/16 JIC fitting system
- 11.3mm high-pressure tube with field-adaptable reusable fitting system

The ***Fat Adder*** Remote Grease Lines range is manufactured to the highest quality standards and can also be used in conjunction with conventional automatic grease lubrication systems.

SYSTEM OPTIONS

6mm Nylon Tube with Compression Fitting

6mm nylon tube and compression fittings features:

- Rated to 1,291PSI (89 Bar, 8.9MPa)
- Budget and cost effective
- 6mm olive within the compression fitting clamps around 6mm tube once tightened, seals system
- Tube lengths up to 2m can be achieved with an electric grease gun and up to 3m can be achieved by slowly and carefully greasing manually or using a grease divider valve
- Ideal for mild to moderate environments
- Fittings are also available in stainless steel



SCF1/8BSP: 1/8BSP x 6mm tube compression fitting before assembly (nut "CN" & olive "CO")

PT25M: 6mm nylon tube complete compression fitting

RGB2: 2 outlet grease anchor block with grease nipples. T-drilled giving the option to install grease lines at 90deg

6mm Nylon Tube with Push-In Fittings

6mm nylon tube and push-in fittings features:

- Rated to 1,291PSI (89 Bar, 8.9MPa)
- Quick installation
- Quick disconnect if required
- 90 deg swivel fittings are available making installation in tight spaces easy
- Tube lengths up to 2m can be achieved with an electric grease gun and up to 3m can be achieved by slowly and carefully greasing manually or using a grease divider valve
- Ideal for mild to moderate environments



PT25M: 6mm nylon tube with pushin fitting

PISC1/8BSP: 6mm push in fitting

RGB2: 2 outlet grease anchor block with grease nipples. T-drilled giving the option to install grease lines at 90deg

6mm, 8mm and 10mm Stainless Rigid Tube

6mm, 8mm and 10mm stainless rigid tube features

- Rated to 5,438PSI (374Bar, 37.4MPa)
- Tube lengths up to 15m can be achieved with 10mm
- Ideal for extreme environments (i.e. corrosive)
- Can be used with normal steel compression fittings



SS6M8MM: 8mm stainless tube

SCF1/8BSPSS: Stainless compression fitting

RGB2SS Stainless 2 outlet grease anchor block with Stainless grease nipples. "Not T-drilled"

8.6mm and 11.3mm High Pressure Tube with Field Adaptable Reusable Fittings

8.6mm and 11.3mm high pressure tube with fittings

- Rated to 12,184PSI (840 Bar, 84MPa)
- Field adaptable and easy installation
- Extreme high pressure
- Tube lengths up to 18m (11.3mm)
- Ideal for extreme environments
- 8.6mm fittings available in stainless

Note: *11.3mm is only available with compression fitting, hose tail and screw Sleeve (1). Not available in JIC or Swivel.*



1. Reusable hose stud fitting:
- compression fitting (SCF1/8BSP)
- hose tail (HSS20M) and
- screw sleeve (SS)

2. Reusable swivel fitting:
- Swivel hose stud (RHESWSSBSP)
- Screw Sleeve RHESS

3. Reusable fitting 7-1/16 JIC fittings:
- 1/8BSP to JIC Nipple (JICNIP1/8BSP)
- JIC hose tail (JIC908.6)
- Screw Sleeve (SS)

GREASE ANCHOR BLOCKS

Remote Grease Bulkheads and Sockets for Remote Greasing

BH1/8BSP

BH6M

BH906MX6MM11

BH906MX6MM34

BH4M

BH1/8BSPFXJIC

BH6MMSPFXHS

SOC1/8BSP

BH1/8BSP	Bulkhead (nickel plated) 1/8BSP female thread Thread length: 9mm, Ø 16mm. 1/8BSP grease nipple included
BH1/8BSPSS	Stainless Bulkhead 1/8BSP female thread
BH1/4BSP	Bulkhead (nickel plated) 1/4BSP female thread Thread length: 15mm, Ø 21mm. 1/4BSP grease nipple included
BH6M	Bulkhead 6mm tube compression fitting Thread length: 25mm, Ø 12mm. 1/8BSP grease nipple included
BH6MSS	Bulkhead (stainless steel) 6mm tube compression fitting Thread length: 25mm, Ø 12mm. 1/8BSP grease nipple included
BH4M	Bulkhead 6mm tube compression fitting Thread length: 10mm, Ø 12mm. 6mm grease nipple included
BH906MX6MM11	90 deg Bulkhead 6mm tube x 6mm female (Short) Thread length: 5mm, Ø 12mm. 6mm grease nipple included
BH906MX6MM34	90 deg Bulkhead 6mm tube x 6mm female (Long) Thread length: 21mm, Ø 12mm 6mm grease nipple included
BH1/8BSPFXJIC	Bulkhead 1/8BSP Female x 7/16JIC Male – 1/8BSP grease nipple included
BH6MMSPFXHS	Bulkhead straight with hose stud (suit 8.6mm hose) and 6mm grease nipple
BH1/4BSPFXJICSS	Stainless Bulkhead 1/4BSP Female x 7/16JIC Male – 1/4BSP grease nipple included
SOC1/8BSP	1/8 BSP Socket Steel, grease nipple included
SOC1/8BSPBR	Brass 1/8 BSP Socket Steel, grease nipple included
SOC1/8BSPSS	Stainless 1/8 BSP Socket Steel, grease nipple included
SOC1/4BSP	1/4 BSP Socket Steel with grease nipple

Remote Grease Anchor Blocks



	L1 (mm)	L2 (mm)	L3 (mm)
RGB1	38	28	-
RGB2	60	50	22
RGB3	80	74	22
RGB4	106	96	22
RGB5	128	118	22
RGB6	150	140	22
RGB8	194	184	22
RGB10	238	228	22
RGB12/90DEG	227	210	16

RGB1	1 outlet 1/8BSP grease block with grease nipple
RGB1SS	Stainless 1 outlet 1/8BSP grease block with grease nipples
RGB2	2 outlet 1/8BSP grease block with grease nipples
RGB2SS	Stainless 2 outlet 1/8BSP grease block with grease nipples
RGB3	3 outlet 1/8BSP grease block with grease nipples
RGB3SS	Stainless 3 outlet 1/8BSP grease block with grease nipples
RGB4	4 outlet 1/8BSP grease block with grease nipples
RGB4SS	Stainless 4 outlet 1/8BSP grease block with grease nipples
RGB5	5 outlet 1/8BSP grease block with grease nipples
RGB5SS	Stainless 5 outlet 1/8BSP grease block with grease nipples
RGB6	6 outlet 1/8BSP grease block with grease nipples
RGB6SS	Stainless 6 outlet 1/8BSP grease block with grease nipples
RGB8	8 outlet 1/8BSP grease block with grease nipples
RGB8SS	Stainless 8 outlet 1/8BSP grease block with grease nipples
RGB10	10 outlet 1/8BSP grease block with grease nipples
*RGB12/90DEG****	*12 outlet 1/8BSP grease block with grease nipples*

NOTES:

Steel blocks are T-drilled giving the option to install the grease line in line with the grease nipple or 90 degrees to the grease nipple. 1/8BSP plugs are included.
Stainless steel block only drilled straight through. Not T-drilled.
Mounting holes are 6.5mm
Custom sizes can be manufactured upon request.
****RGB12/90DEG – ports are drilled at 90 degree (mounting hole 10mm)*

IMPORTANT:

Never split or Tee grease lines. Grease will take the path of least resistance, starving the other lubrication points. If you need to split grease lines – use a grease divider valve (see page 4)



GREASE DIVIDER VALVES

Remote Grease Divider Valve – 1 Grease Inlet and 2-24 Outlets

DDV8

DDV Grease Divider Valves	
DDV6	Steel 6 outlet grease divider valve
DDV8	Steel 8 outlet grease divider valve
DDV10	Steel 10 outlet grease divider valve
DDV12	Steel 12 outlet grease divider valve
DDV14	Steel 14 outlet grease divider valve

NOTE:
DDV valves split the grease evenly to each outlet
DDV valves come complete with 1 x grease nipple and outlet "check valve" compression fittings to suit 6mm tube.

ALDV6

ALDV Grease Divider Valves	
ALDV4	Aluminium 4 outlet grease divider valve
ALDV6	Aluminium 6 outlet grease divider valve
ALDV8	Aluminium 8 outlet grease divider valve
ALDV12	Aluminium 12 outlet grease divider valve

NOTE:
ALDV divider valves split the grease evenly to each outlet. Outlet ports cannot be blocked.
ALDV valves come with 1 x 1/8BSP grease nipple and no fittings. Outlets are 1/8BSP female.

SDVG

SDV Grease Divider Valves	
SDV-2	Steel Segmented 2 outlet grease divider
SDV-3	Steel Segmented 3 outlet grease divider
SDV-4	Steel Segmented 4 outlet grease divider
SDV-5	Steel Segmented 5 outlet grease divider
SDV-6	Steel Segmented 6 outlet grease divider
SDV-7	Steel Segmented 7 outlet grease divider
SDV-8	Steel Segmented 8 outlet grease divider
SDV-9	Steel Segmented 9 outlet grease divider
SDV-10	Steel Segmented 10 outlet grease divider
SDV-11	Steel Segmented 11 outlet grease divider
SDV-12	Steel Segmented 12 outlet grease divider
SDV-13	Steel Segmented 13 outlet grease divider
SDV-14	Steel Segmented 14 outlet grease divider
SDV-15	Steel Segmented 15 outlet grease divider
SDV-16	Steel Segmented 16 outlet grease divider
SDV-17	Steel Segmented 17 outlet grease divider
SDV-18	Steel Segmented 18 outlet grease divider
SDV-19	Steel Segmented 19 outlet grease divider
SDV-20	Steel Segmented 20outlet grease divider
SDV-21	Steel Segmented 21 outlet grease divider
SDV-22	Steel Segmented 22 outlet grease divider
SDV-23	Steel Segmented 23 outlet grease divider
SDV-24	Steel Segmented 24 outlet grease divider

NOTE:
All SDV are custom assembled. They split the grease according to the output quantity of each outlet. The outlet quantities have a choice of 25mm³, 45mm³, 75mm³, 105mm³ and 140mm³.
Outlet ports cannot be blocked unless consulted with us. Other configurations and customised solutions are possible. Please contact us if you need further assistance
All SDV valves come with 1 x M10 grease nipple and fittings. Outlets are M10 female.
Divider valve mounting brackets are available. Please consult our team.
All divider valves can be used in Auto Lube Systems. For more information please consult our team

6MM NYLON TUBE

6mm Nylon Tube ***Note:*** *4mm nylon grease tube also available (See Page 13)*

TT100M

PT100M

PT3CORE100MGF

PT25MGF	25m x 6mm high pressure tube - grease filled (NLGI 2)
PT50MGF	50m x 6mm high pressure tube - grease filled (NLGI 0)
PT100MGF	100m x 6mm high pressure tube - grease filled (NLGI 0)
PT25M	25m x 6mm high pressure tube - empty
PT50M	50m x 6mm high pressure tube - empty
PT100M	100m x 6mm high pressure tube - empty
PT500M	500m x 6mm high pressure tube - empty
TT10M	10m x 6mm high pressure transparent tube – empty
TT100M	100m x 6mm high pressure transparent tube – empty
PT2CORE10MGF	10m x 6mm 2 core grease line – grease filled (filled NLGI 00)
PT2CORE100MGF	100m x 6mm 2 core grease line – grease filled (filled NLGI 00)
PT3CORE10MGF	10m x 6mm 3 core grease line – grease filled (filled NLGI 00)
PT3CORE100MGF	100m x 6mm 3 core grease line – grease filled (filled NLGI 00)

Technical info:

Material: Semi Rigid PA 12 HL. *Dimensions: 6mm OD, 3mm ID*

Pressure Rating: Operating Pressure - 1,291PSI / 9MPa / 89Bar

Burst Pressure: @ +23°C 3,873PSI / 27MPa / 267Bar

Bending Radius (approx): 40mm *Operating Temperature: -60°C to +80°C*

6MM NYLON TUBE – COMPRESSION FITTINGS

Straight Compression Fitting - 6mm Tube

SCF6MM

TEE6M

SCF1/8BSP

C6M

SCF1/8BSP-62

SCF6M	Straight M6 x 6mm tube comp fitting
SCF6MSS	Stainless straightM6 x 6mm tube comp fitting
SCF8M	Straight M8 x 6mm tube comp fitting
SCF8MSS	Stainless straightM8 x 6mm tube comp fitting
SCF8MX1.25	Straight M8 (x1.25) x 6mm tube comp fitting
SCF10M	Straight M10 x 6mm tube comp fitting
SCF10MSS	Stainless straightM10 x 6mm tube comp fitting
SCF1/8BSP	Straight 1/8BSP x 6mm tube comp fitting
SCF1/8BSPSS	Stainless Straight1/8BSP x 6mm tube comp fitting
SCF1/4BSP-L	Formerly (SCF1/4BSP) Straight 1/4BSP x 6mm tube comp fitting (L)
SCF1/4BSP-LL	Straight 1/4BSP x 6mm tube comp fitting (LL)
SCF1/4BSPSS	Stainless straight1/4BSP x 6mm tube comp fitting (L)
SCF1/8NPT	Straight 1/8NPT x 6mm tube comp fitting
SCF1/4NPT	Straight 1/4NPT x 6mm tube comp fitting
SCFF1/8BSP	Straight 1/8BSP Female x 6mm tube comp fitting
SCF1/4UNF	Straight 1/8UNFMale x 6mm tube comp fitting
C6M	6mm x 6mm Straight comp fitting connector
C6M-L	6mm x 6mm Straight comp fitting connector (L)
C6MSS	Stainless 6mm x 6mm Straight comp fitting connector
TEE6M	Tee 6mm tube compression fitting

90 Degree Compression Fitting – 6mm Tube

CF90J6MM

CF901/4BSP

CF906M	90 deg M6 x 6mm tube comp fitting
CF906MSS	Stainless 90 deg M6 x 6mm tube comp fitting
CF908M	90 deg M8 x 6mm tube comp fitting
CF908MSS	Stainless 90 deg M8 x 6mm tube comp fitting
CF908MX1.25	90 deg M8 x 1.25mm x 6mm tube comp fitting
CF9010M	90 deg M10 x 6mm tube comp fitting
CF9010MSS	Stainless 90 deg M10 x 6mm tube comp fitting
CF901/8BSP	90 deg 1/8BSP x 6mm tube comp fitting
CF901/4UNF	90 deg 1/4UNF x 6mm tube comp fitting
CF901/8BSPSS	Stainless 90 deg 1/8BSP x 6mm tube comp fitting
CF901/8NPT	90 deg 1/8NPT x 6mm tube comp fitting
CF901/8NPTSS	Stainless 90 deg 1/8NPT x 6mm tube comp fitting
CF901/4BSP	90 deg 1/4BSP x 6mm tube comp fitting (L)
CF901/4BSPSS	Stainless 90 deg 1/4BSP x 6mm tube comp fitting (L)
CF90J6MM	90 deg 6mm x 6mm compression fitting joiner (L)
CF90J6MMSS	Stainless 90 deg 6mm x 6mm compression fitting joiner

Nuts, Olives and Spigots – 6mm Tube

CN

CO

DCCO06BR

SPIG6MM

ICF6MM/10MM

CO6MMBR-TAPERED

CN	6mm nut
CO	6mm olive
CNSS	Stainless 6mm nut
COSS	Stainless 6mm olive
CN-L	6mm nut (L)
CO-L	6mm olive (L)
SPIG6MM	Spigot to suit 6mm tube (PT25M, PT100M and PT500) 3.5mm
CO6MMBR-TAPERED	6mm Olive - Brass - tapered suit internal compression fitting
DCCO06BR	Double cone olive - suit 6mm - brass
ICF6MM/10MM	M10 male x 6mm Internal compression fitting use with DCCO06BR

Note: *Other compression fitting sizes are available.*
4mm tube (see page 15). 8mm tube and 10mm tube (see pages 11-12)

6MM NYLON TUBE – PUSHIN FITTINGS

Push-in Straight – 6mm Tube

PITEE6MM

PISC6M

PISC6M	Straight M6 x 6mm tube push in fitting
PISC8M	Straight M8 x 6mm tube push in fitting
PISC10M	Straight M10 x 6mm tube push in fitting
PISC1/8BSP	Straight 1/8BSP x 6mm tube push in fitting
PISC1/8NPT	Straight 1/8NPT x 6mm tube push in fitting
PISC1/4UNF	Straight 1/4UNF x 6mm tube push in fitting
PISC1/4BSP	Straight 1/4BSP x 6mm tube push in fitting
PIC6M	6mm x 6mm Straight push in fitting connector
PITEE6MM	Tee 6mm push in fitting connector

Push-in Elbow (Fixed) – 6mm Tube

PIEC901/8

PIEC906M	90 deg M6 x 6mm tube push in fitting
PIEC908M	90 deg M8 x 6mm tube push in fitting
PIEC9010M	90 deg M10 x 6mm tube push in fitting
PIEC901/8	90 deg 1/8BSP x 6mm tube push in fitting
PIEC901/4UNF	90 deg 1/4UNF x 6mm tube push in fitting
PIEC901/8NPT	90 deg x 6mm tube push in fitting
PIEC901/4BSP	90 deg fixed1/4BSP x 6mm tube push in fitting

Push-in Elbow (Swivel) - 6mm Tube

PISCW901/8BSP

PISCW906M-SHORT

PISCW906M	90 deg swivel M6 x 6mm tube push in fitting
PISCW908M	90 deg swivel M8 x 6mm tube push in fitting
PISCW9010M	90 deg swivel M10 x 6mm tube push in fitting
PISCW901/8BSP	90 deg swivel 1/8BSP x 6mm tube push in fitting
PISCW901/8NPT	90 deg swivel 1/8NPT x 6mm tube push in fitting
PISCW901/4UNF	90 deg swivel 1/4UNF x 6mm tube push in fitting
PISCW901/4BSP	90 deg swivel 1/4BSP x 6mm tube push in fitting
PISCW906M-SHORT	90 deg swivel M6 x 6mm tube push in fitting “C-Clip”
PISCW908M-SHORT	90 deg swivel M8 x 6mm tube push in fitting “C-Clip”
PISCW9010M-SHORT	90 deg swivel M10 x 6mm tube push in fitting “C-Clip”
PISCW901/8BSP-SHORT	90 deg swivel 1/8BSP x 6mm tube push in fitting “C-Clip”
PISCW901/4BSP-SHORT	90 deg swivel 1/4BSP x 6mm tube push in fitting “C-Clip”

Note: *4mm pushin fittings are also available. Please see page 15*

Not sure what pushin fitting to use? Try our pushin fitting grab kit includes:

1 x carry assortment case
10m x 6mm high pressure nylon tubing
10 x Straight M6 x 6mm tube push in fittings
5 x Straight M8 x 6mm tube push in fittings
10 x Straight 1/8BSP x 6mm tube push in fittings
5 x 90 deg M6 x 6mm tube push in fittings
5 x 90 deg 1/8BSP x 6mm tube push in fittings
10 x 90 deg swivel M6 x 6mm tube push in fittings
5 x 90 deg swivel M8 x 6mm tube push in fittings
10 x 90 deg swivel 1/8BSP x 6mm tube push in fittings
5 x 6mm x 6mm Straight push in fitting connectors
3 x Straight 1/4BSP M x 1/8BSP adaptors
5 x 45 deg 1/8BSPM x 1/8BSPF adaptors
5 x 90 deg 1/8BSPM x 1/8BSPF adaptors
20 x 1/BSP Straight grease nipples
1 x thread tape
1 x tube cutter

Part Number GRAB2
Other pushin fittings can be added
to this kit upon request

8.6MM EXTREME HIGH PRESSURE HOSE

Extreme High Pressure Hose 8.6mm OD

HPH8.6M	1m x 8.6mm high pressure hose - empty
HPH8.6MGF	1m x 8.6mm high pressure grease hose – grease filled (NLGI 2)
HPH10M	10m x 8.6mm high pressure hose - empty
HPH10MGF	10m x 8.6mm high pressure grease hose – grease filled (NLGI 2)
HPH50M	50m x 8.6mm high pressure hose - empty
HPH50MGF	50m x 8.6mm high pressure grease hose – grease filled (NLGI 2)
HPH100M	100m x 8.6mm high pressure hose - empty
HPH200M	200m x 8.6mm high pressure hose - empty

Technical Info: *(8.6mm OD – 4mm ID)*

Pressure Rating: Operating Pressure – 4,061PSI / 28MPa / 280Bar
Burst Pressure 12,184PSI / 84MPA / 840Bar
Bending Radius: Approx. 20mm
Operating temperature: -40°C to +80°C
Filled grease hose is Lithium based NLGI 2. Custom grease fill available on request.
See fitting options on page 12
Direct replacement for Lincoln, SKF and Beka

Hose Stud 6mm Stem – To Be Used with 6mm Compression Fittings *(See page 6)* – 8.6mm Hose

HS456M24	45 deg x 6mm hose stud (24mm x 15mm)
HS456M35	45 deg x 6mm hose stud (35mm x 25mm)
HS456M35SS	Stainless 45 deg x 6mm hose stud (35mm x 25mm)
HS906M21	90 deg x 6mm hose stud (13mm x 21mm)
HS906M29	90 deg x 6mm hose stud (17mm x 29mm)
HS906M37	90 deg x 6mm hose stud (28mm x 37mm)
HS906M53	90 deg x 6mm hose stud (28mm x 53mm)
HS906MSS	Stainless 90 deg x 6mm hose stud (28mm x 37mm)
HSS20M	Straight 6mm hose stud (20mm)
HSS30M	Straight 6mm hose stud (30mm)
HSS30MSS	Stainless straight6mm hose stud (30mm)
HSS65M	Straight 6mm hose stud (65.5mm)
HSS08M	Straight 8.6mm x 8.6mm hose stud connector/joiner
HSSC6M	Straight 8.6mm hose stud x 6mm compression fitting
HS180M	180 deg x 6mm hose stud
HSS1/8BSP	Straight 8.6mm hose stud with 1/8BSP Male thread

Hose Stud 6mm with Groove – To Be Used with Push-In Fittings *(See page 7)* - 8.6mm Hose

HSSGR20M	Straight 6mm hose stud with groove (20mm)
HSSGR20M-BLACK	Straight 6mm hose stud with groove (20mm) - Black
HSSGR21.5MSS	Stainless straight6mm hose stud with groove (21.5mm)
HSSGR30M	Straight 6mm hose stud with groove (30mm)
HSSGR30M-BLACK	Straight 6mm hose stud with groove (30mm) - Black
HSGR456M24	45 deg x 6mm hose stud with groove (24mm x 15mm)
HSGR456M35	45 deg x 6mm hose stud with groove (35mm x 25mm)
HSGR456M35-BLACK	45 deg x 6mm hose stud with groove (35mm x 25mm) - Black
HS906GRM37	90 deg x 6mm hose stud with groove (28mm x 37mm)
HS906GRM36SS	Stainless 90 deg x 6mm hose stud with groove (29 x 36)
HS906GRM28-BLACK	90 deg x 6mm hose stud with groove (17mm x 28mm) - Black

Hose Stud 4mm – To Be Used with 4mm Compression Fittings *(See page 15)* – 8.6mm Hose

HSS20M-04	Straight hose stud 4mm suit 8.6mm grease hose (20mm)
HS906M-04	90 deg hose stud 4mm suit 8.6mm grease hose (14mm x 33mm)

Screw Sleeve – 8.6mm Hose – Use with Hose Stud

SS8.6	Screw sleeve
SSSS8.6	Stainless screw sleeve

Note: This sleeve cannot be used for RHESONPT or RHESOBSP

8.6MM EXTREME HIGH PRESSURE HOSE

Reusable Hose End Swivel & Hose Stud – 8.6mm Hose

RHESSSBSP

RHESOBSP

RHESWSSNPT	Reusable hose end stud 1/8NPT, swivel with screw sleeve
RHESONPT	Reusable hose end stud 1/8NPT only
RHESWSSBSP	Reusable hose end stud 1/8BSP, swivel with screw sleeve
RHESOBSP	Reusable hose end stud 1/8BSP only
RHESS	Screw Sleeve for reusable hose end only

7/16 JIC Reusable Hose Stud – 8.6mm Hose

JIC908.6

JIC8.6

SS8.6

JICNIP6MM

JICJIC45

A90JIC

JICNIP901/8BSP

JIC8.6COM	Straight 7/16 JIC reusable hose end 8.6mm hose complete
JIC8.6	Straight 7/16 JIC reusable hose end for 8.6mm hose
JIC8.6COMSS	Stainless straight7/16 JIC reusable hose end 8.6mm hose
JIC8.6SS	Stainless straight7/16 JIC reusable hose end for 8.6mm hose
JIC908.6COM	90 deg 7/16 JIC reusable hose end 8.6mm hose complete
JIC908.6COM-SHORT	90 deg 7/16 JIC reusable hose end for 8.6mm hose complete short
JIC908.6	90 deg 7/16 JIC reusable hose end for 8.6mm hose
JIC908.6-SHORT	90 deg 7/16 JIC reusable hose end for 8.6mm hose – low profile
JIC908.6SS	Stainless 90 deg 7/16 JIC Reusable hose end for 8.6mm hose
JIC908.6COMSS	Stainless 90 deg 7/16 JIC Reusable hose end 8.6mm hose
JIC458.6COM	45 deg 7/16 JIC Reusable hose end 8.6mm hose complete
JIC458.6	45 deg 7/16 JIC Reusable hose end for 8.6mm hose
SS8.6	Screw sleeve for 8.6mm hose
SS8.6-BLACK	Screw sleeve 8.6mm - Black
SSSS8.6	Stainless screw sleeve for 8.6mm hose
JICNIP1/8BSP	Straight 7/16 JIC Male x 1/8BSP male nipple
JICNIP1/8NPT	Straight 7/16 JIC Male x 1/8NPT male nipple
JICNIP1/8BSPSS	Stainless 7/16 JIC male x 1/8BSP male nipple
JICNIP1/4BSP	Straight 7/16 JIC male x 1/4BSP male nipple
JICNIP6MM	Straight 7/16 JIC male x 6mm male nipple
JICNIP8MM	Straight 7/16 JIC male x 8mm male nipple
JICNIP10MM	Straight 7/16 JIC Male x 10mm Male nipple
JICNIP451/8BSP	45 deg 7/16 JIC x 1/8BSP nipple
JICNIP901/8BSP	90 deg 7/16 JIC x 1/8BSP nipple
JICNIP901/8BSPSS	Stainless 90 deg 7/16 JIC x 1/8BSP nipple
JICNIP901/4BSP	90 deg 7/16 JIC x 1/4BSP nipple
JICJIC	Straight 7/16" male x 7/16" male nipple joiner
JICJIC45	45 deg joiner 7/16" male x 7/16" male nipple joiner
JICJIC90	90 deg joiner 7/16" male x 7/16" male nipple joiner
JICJICSS	Stainless 7/16" male x 7/16" male nipple straight joiner
A90JIC	90 deg adaptor 7/16JIC Male x 7/16JIC Female
A90JICSS	Stainless 90 deg adaptor 7/16JIC Male x 7/16JIC Female

Crimped Hose Stud – 8.6mm Hose

CRIMPHSSTR19

CRIMPH45-50

CRIMPSS8.6

CRIMPHSSTR19	Straight crimp hose stud 19mm (38mm) - 6mm (LL)
CRIMPHS45-50	45 Deg crimp hose stud (50mm x 22mm)
CRIMPHS90-29	90 Deg crimp hose stud (54mm x 31.5mm)
CRIMPSS8.6	Screw sleeve crimp

Note: *Crimped hose ends are not reusable. To be used with "LL compression fittings, i.e. SCF1/8BSP Crimper required*

11.3MM HIGH PRESSURE HOSE

11.3mm High Pressure Hose

EHP11.3M	1m x 11.3mm high pressure hose – empty (sold in 10m increments)
EHP11.3MGF	1m x 11.3mm high pressure hose – filled (sold in 10m increments)
EHP10M	10m x 11.3mm high pressure hose - empty
EHP10MGF	10m x 11.3mm grease filled high pressure hose
EHP50M	50m x 11.3mm high pressure hose - empty
EHP50MGF	50m x 11.3mm grease filled high pressure hose
EHP100M	100m x 11.3mm high pressure hose - empty
EHP100MGF	100m x 11.3mm grease filled high pressure hose

Technical Info: (11.3mm OD – 6.3mm ID)
Pressure rating: 12,184PSI / 84MPA / 840Bar Burst Pressure
Bending Radius: Approx. 45mm
Operating temperature: -40°C to +80°C
Filled grease hose is Lithium based NLGI 2. Custom grease fill available on request.
Compression fittings need to be used with hose studs
Installation instructions – see page 10
Direct replacement for Lincoln, SKF and Beka

Screw Sleeve – 11.3mm

SS11	Screw sleeve 11.3mm hose
SS11SS	Stainless Screw Sleeve 11.3mm hose

Hose Studs – 11.3mm

HS11S6M

HS11S10M

HS11M

HS11S6M	Straight hose stud 6mm for 11.3mm hose (20mm)
HS11456M	45 deg hose stud 6mm for 11.3mm hose (22mm x 45mm)
HS11906M	90 deg hose stud 6mm for 11.3mm hose (22mm x 45mm)
HS11S820M	Straight hose stud 8mm for 11.3mm hose (20mm)
HS11S820MSS	Stainless straighthose stud 8mm for 11.3mm hose (20mm)
HS11458M	45 deg hose stud 8mm for 11.3mm hose (22mm x 45mm)
HS11908M	90 deg hose stud 8mm for 11.3mm hose (22mm x 36mm)
HS11908MSS	Stainless 90 deg hose stud 8mm for 11.3mm hose (22mm x 36mm)
HS11S10M	Straight hose stud 10mm for 11.3mm hose (30mm)
HS119010M	90 deg hose stud 10mm for 11.3mm hose (23mm x 36mm)
HSS11M	Straight 11.3mm x 11.3mm hose stud connector/joiner

11.3MM HIGH PRESSURE HOSE COMPRESSION FITTINGS

Straight Compression Fittings – To Be Used with 11.3mm Hose Studs (and 6mm, 8mm, 10mm Stainless Rigid Tube – See Page 15)

C610M

C6M

SCF1/8BSP

SCF6M	Straight M6 x 6mm tube comp fitting
SCF6MSS	Stainless straightM6 x 6mm tube comp fitting
SCF8M	Straight M8 x 6mm tube comp fitting
SCF8MSS	Stainless straightM8 x 6mm tube comp fitting
SCF8MX1.25	Straight M8 (x1.25) x 6mm tube comp fitting
TEE8M	Tee 8mm tube compression fitting
SCF10M	Straight M10 x 6mm tube comp fitting
SCF1/8BSP	Straight 1/8BSP x 6mm tube comp fitting
SCF1/8BSP-L	Straight 1/8BSP x 6mm tube comp fitting (L)
SCF1/8SS	Stainless Straight1/8BSP x 6mm tube comp fitting
SCF1/4BSP-L	Formerly (SCF1/4BSP) Straight 1/4BSP x 6mm tube comp fitting (L)
SCF1/4BSP-LL	Straight 1/4BSP x 6mm tube comp fitting (LL)
SCF1/4SS	Stainless straight1/4BSP x 6mm tube comp fitting
SCF1/8NPT	Straight 1/8NPT x 6mm tube comp fitting
SCF1/4NPT	Straight 1/4NPT x 6mm tube comp fitting
SCF086M	Straight M6 x 8mm tube comp fitting
SCF088M	Straight M8 x 8mm tube comp fitting
SCF0810M	Straight M10 x 8mm tube compression fitting
SCF081/8BSP	Straight 1/8BSP x 8mm tube comp fitting
SCF081/8BSP-L	Straight 1/8BSP x 8mm tube comp fitting (L)
SCF081/8SS	Stainless straight1/8BSP x 8mm tube comp fitting
SCF081/4	Straight 1/4BSP x 8mm tube comp fitting
SCF081/4SS	Stainless straight1/4BSP x 8mm tube comp fitting
SCF101/8	Straight 1/8BSP x 10mm tube comp fitting
SCF1010MSS	Stainless straightM10 Male thread x 10mm tube (“L”) series
SCF101/4	Straight 1/4BSP x 10mm tube comp fitting
C6M	6mm x 6mm Straight comp fitting connector
C6M-L	6mm x 6mm Straight comp fitting connector (L)
C8M	8mm x 8mm Straight comp fitting connector
C8MSS	Stainless 8mm x 8mm Straight comp fitting connector
C10M	10mm x 10mm Straight comp fitting connector
C610M	6mm x 10mm Straight comp fitting connector
C68M	6mm x 8mm Straight comp fitting connector

90 Degree Compression Fitting – suit 11.3mm Hose Studs (and 6mm, 8mm, 10mm stainless rigid tube)

CF908M

C90J6MM

CF906M	90 deg M6 x 6mm tube comp fitting
CF906MSS	Stainless 90 deg M6 x 6mm tube comp fitting
CF908M	90 deg M8 x 6mm tube comp fitting
CF908MSS	Stainless 90 deg M8 x 6mm tube comp fitting
CF908MX1.25	90 deg M8 x 1.25mm x 6mm tube comp fitting
CF9010M	90 deg M10 x 6mm tube comp fitting
CF901/8BSP	90 deg 1/8BSP x 6mm tube comp fitting
CF901/8BSP-L	90 deg 1/8BSP x 6mm tube comp fitting (L)
CF901/8BSPSS	Stainless 90 deg 1/8BSP x 6mm tube comp fitting
CF901/4BSP	90 deg 1/4BSP x 6mm tube comp fitting
CF901/4BSPSS	Stainless 90 deg 1/4BSP x 6mm tube comp fitting
CF901/8NPT	90 deg 1/8NTPT x 6mm tube comp fitting
CF901/8NPTSS	Stainless 90 deg 1/8NPT x 6mm tube comp fitting
CF900810M	90 degree M10 x 8mm tube compression fitting
CF90081/8BSP	90 degree 1/8BSP x 8mm tube compression fitting
CF90081/8BSPSS	Stainless 90 degree 1/8BSP x 8mm tube compression fitting
CF90881/4BSP	90 degree 1/4BSP x 8mm tube comp fitting
CF90881/4BSPSS	Stainless 90 deg 1/4BSP x 8mm tube comp fitting
CF90101/4	90 deg 1/4BSP x 10mm tube comp fitting
CF90J6MM	90 deg 6mm x 6mm compression fitting joiner
CF90J8MM	90 deg 8mm x 8mm compression fitting joiner
CF90J10MM	90 deg 10mm x 10mm compression fitting joiner

11.3MM HIGH PRESSURE HOSE COMPRESSION FITTINGS

Nuts and Olives - 6mm, 8mm, 10mm

CN

CO

CN-L

CO-L

CN	6mm nut (LL)
CO	6mm olive (LL)
CNSS	Stainless 6mm nut (LL)
COSS	Stainless 6mm olive (LL)
CN-L	6mm nut (L)
CN-L-SS	Stainless 6mm nut "L"
CO-L	6mm olive (L)
CO-L-SS	Stainless 6mm olive "L"
CN-STRONG	6mm nut (S), 17mm across flats
CN-8	8mm nut (LL)
CN-8-SS	Stainless 8mm nut (LL)
CO-8	8mm olive (LL)
CN-8-L	8mm nut (L)
CO-8-L	8mm olive (L)
CO-8-L-SS	Stainless 8mm olive (L)
CN-8-STRONG	8mm nut heavy (S Series)
CO-10	10mm Olive
CN-10	10mm nut

Different example assemblies for 8.6mm and 11.3mm grease hose and

1. Reusable Hose stud fitting with screw sleeve and compression fitting (8.6mm and 11.mm grease hose)

SCF1/8BSP **HSS20M** **SS8.6** **8.6mm grease hose**
SCF081/8BSP **HS11S820M** **SS11** **11.3mm grease hose**

2. Reusable Hose stud (with groove) with screw sleeve and pushin fitting (8.6mm grease hose only)

PISC1/8BSP **HSS20M** **SS8.6** **8.6mm grease hose**

3. Reusable 7/16 JIC with screw sleeve and 7/16 JIC nipple (8.6mm grease hose only)

JICNIP1/8BSP **JIC8.6** **SS8.6** **8.6mm grease hose**

4. Reusable Swivel with screw sleeve fitting (8.6mm grease hose only)

RHESOBSP **RHESS** **8.6mm grease hose**

The Fat Adder 8.6mm grease hose and fittings are interchangeable with common lubrication system grease hoses measuring between 8.3mm and 8.75mm.

ADAPTORS & REDUCERS

Straight Adaptors 1/8BSP Female

ATM8X18BSP

ATM8125X18BSPBR

ATM5X18BSPBR

ATM14X18BSPBR

ATM5X18BSPBR	Brass straight adaptor M5 (0.8) x 1/8BSP female
ATM6X18BSP	Straight adaptor M6 (1.0) male x 1/8BSP female
ATM6X18BSPSS	Stainless straightadaptor M6 (1.0) male x 1/8BSP female
AT1/4BSWX18	Straight adaptor 1/4BSW Male x 1/8BSP Female
ATM8X18BSPBR	Brass Straight adaptor M8 (1.0) male x 1/8BSP female
ATM8125X18BSPBR	Brass Straight adaptor M8 (1.25) male x 1/8BSP female
ATM8X18BSP	Straight adaptor M8 (1.0) male x 1/8BSP female
ATM10X18BSP18	Straight adaptor M10 male x 1/8BSP female
ATM10X18BSPBR	Brass Straight adaptor M10 (1.5) male x 1/8BSP female
ATM12X18BSPBR	Brass Straight adaptor M12 (1.5) male x 1/8BSP female
ATM14X18BSPBR	Brass Straight adaptor M14 (1.5) male x 1/8BSP female
ATM16X18BSPBR	Brass Straight adaptor M16 (1.5) male x 1/8BSP female
A14X18S20	Straight adaptor 1/4BSP Male x 1/8BSP female
A14X18S20SS	Stainless straightadaptor 1/4BSP Male x 1/8BSP female
ATUNFX18	Straight adaptor 1/4UNF Male x 1/8BSP female
AT14BSFX18	Straight adaptor 1/4BSF Male x 1/8BSP female
AT1/8NPT18BR	Brass Straight adaptor 1/8NPT Male x 1/8BSP female
ATM5/16BSFX18BSPF	Straight adaptor 5/16BSF male x 1/8BSP female
ATM5/16BSFX18BSPFSS	Stainless straightadaptor 5/16BSF male x 1/8BSP female

Straight Adaptors 1/8NPT Female

AT18X18NPT48

AT18X18NPT48	Straight extension 1/8NPT Male x 1/8NPT Female 48mm
GNLF1/8NPTF	Grease nipple locking fitting adapter 1/8NPT Female STAKTOOL needed
STAKETOOL	Staking tool for GNLF1/8NPTF

Straight Adaptors 1/4BSP Female

AT18X14BSP

ATM22X14BSPBR

ATM6X14BSPBR	Brass straight adaptor 6mm (1.0) male x 1/4BSP female
ATM6X14BSPSS	Stainless straightadaptor 6mm (1.0) male x 1/4BSP female
ATM8X14BSPBR	Brass straight adaptor 8mm (1.0) male x 1/4BSP female
ATM8X14BSP	Straight adaptor 8mm (1.0) male x 1/4BSP female
ATM8X14BSPSS	Stainless straightadaptor 8mm (1.0) male x 1/4BSP female
ATM10X14BSP	Straight adaptor M10 male x 1/4BSP female
ATM10X14BSPBR	Brass Straight adaptor 10mm (1.0) male x 1/4BSP female
ATM12X14BSPBR	Brass Straight adaptor 12mm (1.5) male x 1/4BSP female
ATM22X14BSPBR	Brass Straight adaptor 22mm (1.5) male x 1/4BSP female
ATUNFX14BR	Brass straight adaptor 1/4UNF male x 1/4BSP female
ATUNFX14SS	Stainless straightadaptor 1/4UNF male x 1/4BSP female
AT18X14BSP	Straight adaptor 1/8BSP male x 1/4BSP female
AT18X14BSPSS	Stainless adaptor 1/8BSP male x 1/4BSP female

Straight Adaptors 10mm Female

ATM10M10-18

AT18BSPMXM10F18	Straight adaptor 1/8BSP Male x M10 Female 18mm
AT14BSPMXM10F20	Straight adaptor 1/4BSP Male x M10 Female 20mm

Straight Extensions Metric Male x Metric Female (Measured On Overall Length – Threaded Part = 10mm Approx.)

AT1/8BSPXM10

ATM10(1.5MM)XM10

ATM10M10-50

ATM6XM6-57.5

ATM6XM6-20	Straight extension M6 male x M6 female - 20mm
ATM6XM6-57.5	Straight extension M6 male x M6 female - 57.5mm
ATM6XM8	Straight adaptor M6/1.0 male x M8x1.0 female
ATM8125X18BSP	Straight adaptor M8 x 1.25mm male x 1/8BSP female
ATM8X18BSPSS	Stainless straightadaptor M8/1.0 male x 1/8BSP female
AT1/8BSPXM10	Straight adaptor 1/8BSP Male x M10 Female
ATM8XM8-18	Straight extension M8 male x M8 female - 18mm
ATM8XM8-32	Straight extension M8 male x M8 female – 32mm
ATM8XM8-62.5	Straight extension M8 male x M8 female – 62.5mm
ATM6XM10	Straight adaptor M6/1.0 male x M10x1.0 female
ATM8XM10	Straight adaptor M8 male x M10 female
ATM10M10-18	Straight extension M10 Male x M10 Female - 18mm
ATM10M10-35	Straight extension M10 Male x M10 Female 35mm
ATM10M10-40	Straight extension M10 Male x M10 Female - 40mm
ATM10M10-50	Straight extension M10 Male x M10 Female - 50mm
ATM10(1.5MM)XM10	Straight adaptor M10 (1.5mm) male x M10(1.0mm) Female - 23mm

ADAPTORS & REDUCERS

Straight Extensions 1/8BSP Male x 1/8BSP Female (Measured On Overall Length – Threaded Part = 10mm Approx.)

AT18X18BSP111

AT18X18BSP50

AT18X18BSP187

AT18X18BSP250SS

AT18X18BSP18	Straight extension 1/8BSP male x 1/8BSP female - 18mm
AT18X18BSP18SS	Stainless straight extension 1/8BSP Male x 1/8BSP female -18mm
AT18X18BSP23	Straight extension 1/8BSP male x 1/8BSP female – 23mm
AT18X18BSP23SS	Stainless straight extension 1/8BSP male x 1/8BSP female –23mm
AT18X18BSP30	Straight extension 1/8BSP Male x 1/8BSP Female 30mm
AT18X18BSP35	Straight extension 1/8BSP male x 1/8BSP female – 35mm
AT18X18BSP35SS	Stainless straight extension 1/8BSP male x 1/8BSP female –35mm
AT18X18BSP45	Straight extension 1/8BSP male x 1/8BSP female – 45mm
AT18X18BSP50	Straight extension 1/8BSP male x 1/8BSP female – 50mm
AT18X18BSP50SS	Stainless straight extension 1/8BSP male x 1/8BSP female –50mm
AT18X18BSP85	Straight extension 1/8BSP male x 1/8BSP female – 85mm
AT18X18BSP111	Straight extension 1/8BSP male x 1/8BSP female – 111mm
AT18X18BSP187	Straight extension 1/8BSP male x 1/8BSP female – 187mm
AT18X18BSP100SS	Stainless straight extension 1/8BSP male x 1/8BSP female –100mm
AT18X18BSP125SS	Stainless straight extension 1/8BSP male x 1/8BSP female –125mm
AT18X18BSP150SS	Stainless straight extension 1/8BSP male x 1/8BSP female –150mm
AT18X18BSP200SS	Stainless straight extension 1/8BSP male x 1/8BSP female –200mm
AT18X18BSP250SS	Stainless straight extension 1/8BSP male x 1/8BSP female –250mm
AT18X18BSP300SS	Stainless straight extension 1/8BSP male x 1/8BSP female –300mm

Straight Extensions 1/4BSP Male x 1/4BSP Female (Measured On Overall Length – Threaded Part = 10mm Approx.)

AT14X14BSP100SS

AT14X14BSP250SS

AT14X14BSP25	Straight extension 1/4BSP male x 1/4BSP Female 25mm
AT14X14BSP50	Straight extension 1/4BSP male x 1/4BSP Female 50mm
AT14X14BSP50SS	Stainless straight extension 1/4BSP male x 1/4BSP female –50mm
AT14X14BSP75SS	Stainless straight extension 1/4BSP male x 1/4BSP female –75mm
AT14X14BSP85	Straight extension 1/4BSP male x 1/4BSP Female – 85mm
AT14X14BSP100SS	Stainless straight extension 1/4BSP male x 1/4BSP female –100mm
AT14X14BSP104	Straight extension 1/4BSP male x 1/4BSP Female – 104mm
AT14X14BSP125SS	Stainless straight extension 1/4BSP male x 1/4BSP female –125mm
AT14X14BSP150SS	Stainless straight extension 1/4BSP male x 1/4BSP female –150mm
AT14X14BSP200SS	Stainless straight extension 1/4BSP male x 1/4BSP female –200mm
AT14X14BSP250SS	Stainless straight extension 1/4BSP male x 1/4BSP female –250mm
AT14X14BSP300SS	Stainless straight extension 1/4BSP male x 1/4BSP female –300mm

Male x Male Nipples

NIP1/8BSP

NIP1/8BSP	1/8BSP Male x 1/8BSP Male nipple
NIP1/8NPT	1/8NPT Male x 1/8NPT Male nipple
NIP1/4BSP	1/4BSP Male x 1/4BSP Male nipple

45 Degree & 90 Degree Elbow Adaptors

A45M6X18BSP

A901/8BSP

A45M6XM8	45 deg adaptor 6mm male x 8mm female
A45M6X18BSP	45 deg adaptor 6mm male x 1/8BSP female
A45M8XM8	45 deg adaptor 8mm male x 8mm female
A451/8BSP	45 deg adaptor 1/8BSP male x 1/8BSP female
A451/8BSPSS	Stainless 45 adaptor 1/8BSP male x 1/8BSP female
A451/8BSPX1/4BSP	45 deg adaptor 1/8BSP male x 1/4BSP female
A90M6XM10F	90 deg adaptor M6 (1.0mm) Male x M10 (1.0mm) Female
A90M8XM8F	90 deg adaptor M8/1M Male x M8/1 Female
A90M8X10M	90 deg adaptor 8mm Male x 10mm Female
A9010MX10F	90 deg adaptor 10mm Male x 10mm Female
A901/8BSPX8MMF	90 deg adaptor 1/8BSP male x 8mm Female
A901/8BSP	90 deg adaptor 1/8BSP male x 1/8BSP female
A901/8BSPSS	Stainless 90 deg adaptor 1/8BSPM x 1/8BSP female
A901/4BSP	90 deg adaptor 1/4BSPM x 1/4BSP Female
A451/4BSP	45 deg adaptor 1/4BSPM x 1/4BSP Female
A901/4UNFX18BSP	90 deg adaptor 1/4UNF male / 1/8 BSP female
A90M6X18BSP	90 deg adaptor 6mm male x 1/8BSP female
A90M8X18BSP	90 deg adaptor 8mm male x 1/8BSP female
A90T14BSFX18BSP	90 deg adaptor 1/4BSF male x 1/8BSP female
A901/8NPT	90 deg adaptor 1/8NPT Male x 1/8BSP Female
A451/8NPT	45 deg adaptor 1/8NPT Male x 1/8NPT Female
A901/8NPT-38	90 deg adaptor 1/8NPTM x 1/8NPT Female 38mm long

4MM GREASE FITTINGS AND TUBE

4mm Nylon Tube

TT50-04

PT50MGF-04

PT25MGF-04	4mm grease tube filled NLGI 2 grease - 25m
PT50MGF-04	4mm grease tube filled - NLGI 000 - 50m
PT100M-04	100m x 4mm grease tube - empty
PT50M-04	4mm grease tube empty - 50m
TT50M-04	4mm grease tube empty - 50m - Transparent

Note: *4mm tube is only recommended for replacing existing 4mm tube. If installing low pressure oil systems. For new installs it is recommended to use 6mm tube, 8.6mm or 11.3mm hose. If in doubt please consult our team.*

Technical info:

Material Semi Rigid PA 12 HL. 4mm OD, 2.3mm ID

Pressure Rating: Operating Pressure - 570PSI / 4MPa / 39Bar

Bending Radius Approx. 40mm

Operating Temperature: -60°C to +80°C

4mm Compression Fittings

CF906M-04

C4M

SCF6M-04	Straight M6 x 4mm tube compression fitting
SCF8M-04	Straight M8 x 4mm tube compression fitting
SCF10M-04	Straight 10(1.0)mm x 4mm tube compression fitting
SCF1/8BSP-04	Straight 1/8BSP x 4mm tube compression fitting
C4M	4mm x 4mm Straight compression fitting connector
CF906M-04	90 deg M6 x 4mm tube compression fitting
CF908M-04	90 deg M8 x 4mm tube compression fitting
CF901/8BSP-04	90 deg 1/8BSP x4mm tube compression fitting

Note: *4mm compression fittings are available in stainless steel upon request*

4mm Pushin Fittings

PISCW901/8-04

4MMCVFPU

PISC6M-04	Straight M6 x 4mm tube push in fitting
PISC8M-04	Straight M8 x 4mm tube push in fitting
PISC10M-04	Straight M10 x 4mm tube push in fitting
PISC1/8BSP-04	Straight 1/8BSP x 4mm tube
PISC1/4UNF-04	Straight 1/4UNF x 4mm tube push in fitting
PIEC906M-04	90 deg M6 x 4mm tube push in fitting
PIEC908M-04	90 deg M8 x 4mm tube push in fitting
PIEC901/8BSP-04	90 deg 1/8BSP x 4mm tube push in fitting
PISCW906M-04	90 deg swivel M6 x 4mm tube push in fitting
PISCW908M-04	90 deg swivel M8 x 4mm tube push in fitting
PISCW901/8BSP-04	90 deg swivel Pushin swivel fitting 1/8BSP x 4mm tube
PIC4M	4mm x 4mm Straight push in fitting connector
4MMCVFPU	Check valve straight M10 male x 4mm tube pushin fitting suit DDV, DSPP, SSV and SSDV valves

Hose Stud 4mm Stem – To Be Used with 4mm Compression Fittings

HSS20M-04

HS906M-04

HSS20M-04	Straight hose stud 4mm suit 8.6mm grease hose (20mm)
HS906M-04	90 deg hose stud 4mm suit 8.6mm grease hose (14mm x 33mm)

Nuts, Olives and Spigots – 4mm Tube

CN-04

CO-04

SPIG4MM

DCCO04BR

ICF6MM/8MM

CO4MMBR-TAPERED

CN-04	4mm nut
CO-04	4mm olive
CO4MMBR-TAPERED	Tapered Olive suit socket unions 4mm - Brass
SPIG4MM	Spigot - reinforcing for 4mm tube OD 2.3mm
DCCO04BR	4mm Double cone drive brass
ICF4MM/8MM	M8 male x 6mm Internal compression fitting use with DCCO04BR
ICF4MM/10MM	M10 male x 6mm Internal compression fitting use with DCCO04BR

CLAMPS & TIES

Stainless P-Clamps

PC0606	P-Clamp Rubber Stainless 6mm Hole, 6mm diameter
PC0610	P-Clamp Rubber Stainless 6mm Hole 10mm diameter
PC0613	P-Clamp Rubber Stainless 6mm Hole 13mm Diameter
PC0615	P-Clamp Rubber Stainless 6mm Hole 15mm Diameter
PC0616	P-Clamp Rubber Stainless 6mm Hole 16mm Diameter
PC0618	P-Clamp Rubber Stainless 6mm Hole 18mm Diameter
PC0620	P-Clamp Rubber Stainless 6mm Hole 20mm Diameter
PC0622	P-Clamp Rubber Stainless 6mm Hole 22mm Diameter
PC0625	P-Clamp Rubber Stainless 6mm Hole 25mm Diameter
PC0635	P-Clamp Rubber Stainless 6mm Hole 35mm Diameter
PC0638	Rubber P-Clamp SS 6mm Hole 38mm Dia
PC0640	Rubber P-Clamp SS 6mm Hole 40mm Dia
PC0645	Rubber P-Clamp SS 6mm Hole 45mm Dia
PC0648	Rubber P-Clamp SS 6mm Hole 48mm Dia
PC1010	P-Clamp Rubber Stainless 10mm Hole 10mm Diameter
PC1013	P-Clamp Rubber Stainless 10mm Hole 13mm Diameter
PC1016	P-Clamp Rubber Stainless 10mm Hole 16mm Diameter
PC1018	P-Clamp Rubber Stainless 10mm Hole 18mm Diameter
PC1022	P-Clamp Rubber Stainless 10mm Hole 22mm Diameter
PC1025	P-Clamp Rubber Stainless 10mm Hole 25mm Diameter
PC1032	P-Clamp Rubber Stainless 10mm Hole 32mm Diameter
PC1038	P-Clamp Rubber Stainless 10mm Hole 38mm Diameter

Notes: *6mm P-Clamps suit 6mm grease line, 10mm P- Clamps suit 8.6mm grease line and 2 core grease line*
13mm P-Clamps suit 11.3mm grease line and 3 core grease line

Stainless Saddles

SSSAD6MMX1

SSSAD6MMX4

SSSAD6MMX1	Stainless Steel 6mm Saddle suit 1 x 6mm tube
SSSAD6MMX2	Stainless Steel 6mm Saddle suit 2 x 6mm tube
SSSAD6MMX3	Stainless Steel 6mm Saddle suit 3 x 6mm tube
SSSAD6MMX4	Stainless Steel 6mm Saddle suit 4 x 6mm tube
SSSAD6MMX5	Stainless Steel 6mm Saddle suit 5 x 6mm tube
SSSAD6MMX6	Stainless Steel 6mm Saddle suit 6 x 6mm tube
SSSAD8MMX1	Stainless Steel 8mm Saddle suit 1 x 8.6mm tube
SSSAD8MMX2	Stainless Steel 8mm Saddle suit 2 x 8.6mm tube
SSSAD8MMX3	Stainless Steel 8mm Saddle suit 3 x 8.6mm tube
SSSAD8MMX4	Stainless Steel 8mm Saddle suit 4 x 8.6mm tube

Notes: All Stainless saddles are 316 and are 1.0mm thick 2 x 4.8mm mounting hole

Nylon Hose Clamps

SCLAMP6MM

DCLAMP8.6MMSS

SCLAMP6MM	Single nylon tube clamp suits 6mm tube
SCLAMP8MM	Single nylon tube clamp suits 8mm tube
SCLAMP8.6MM	Single nylon tube clamp suits 8.6mm tube
SCLAMP10MM	Single nylon tube clamp suits 10mm tube
SCLAMP11.3MM	Single nylon tube clamp suits 11.3mm tube
DCLAMP6MM	Double nylon tube clamp suits 6mm tube
DCLAMP8MM	Double nylon tube clamp suits 8mm tube
DCLAMP8.6MM	Double nylon tube clamp suits 8.6mm tube
DCLAMP10MM	Double nylon tube clamp suits 10mm tube
DCLAMP11.3MM	Double nylon tube clamp suits 11.3mm tube
SCLAMP6MMSS	Stainless single nylon tube clamp suits 6mm tube
SCLAMP8MMSS	Stainless single nylon tube clamp suits 8mm tube
SCLAMP8.6MMSS	Stainless single nylon tube clamp suits 8.6mm tube
DCLAMP6MMSS	Stainless double nylon tube clamp suits 6mm tube
DCLAMP8MMSS	Stainless double nylon tube clamp suits 8mm tube
DCLAMP8.6MMSS	Stainless double nylon tube clamp suits 8.6mm tube

Cable Ties

CT250MM-100	Cable tie 250mm x 4.8mm (pack of 100)
CT370MM-100	Cable tie 370mm x 7.6mm (pack of 100)

AUTO LUBE PARTS AND ACCESSORIES

Stainless Tube (Empty) – 1mm wall 5,424PSI / 37MPA / 374 Bar Operating Pressure

SS6M6MM	Stainless 6m x 6mm x 1mm wall tube
SS6M8MM	Stainless 6m x 8mm x 1mm wall tube
SS6M10MM	Stainless 6m x 10mm x 1mm wall tube

Note: *Compression fittings need to be used with stainless tube*

10mm Heavy Wall Tube (Empty) – 3.5mm Wall

HWST065M10MM	Steel tube 650mm x 10mm x 1/8BSP x 3.5mm wall 1/8BSP end
HWST080M10MM	Steel tube 800mm x 10mm x 1/8BSP 3.5mm wall 1/8BSP end
HWST170M10MM	Steel tube1750mm x 10mm x 1/8BSP 3.5mm 1/8BSP end
HWST190M10MM	Steel tube 1900mm x 10mm x 3.5mm wall 1/8BSP end

Grease Line Protection Bar

PBAR1600SS	Protection Bar 1600mm Stainless

Note: *Stainless Steel 304. 4mm thick.*
Suits 3 x 11.3mm grease hose, 5 x 8.6mm grease hose, 12 x 6mm grease tube.

Spiral Hose Guard

SPG925 SPG10SS2M

SPG625	25m x Spiral guard 6mm (suits 6mm nylon tube)
SPG925	25m x Spiral guard 9mm (suits the 8.6mm hose)
SPG10SS2M	Stainless 2m x spiral guard 10mm (Suits the 8.6mm hose)
SPG10SS5M	Stainless 5m x spiral guard 10mm (Suits the 8.6mm hose)
SPG13SS2M	Stainless 2m x spiral guard 10mm (Suits the 11.3mm hose)

Divider Valve Inlet

BFDIM10	Divider Inlet Fitting with grease nipple M10x1
BFDI1/8BSP	Divider Inlet Fitting with grease nipple 1/8BSP
TEEINLETMFF	Tee (M1/8BSP, M1/8BSP, FM10) Divider Inlet Fitting with 1/8BSP grease nipple

Note: *Used to install at the inlet of a progressive divider (generally the primary divider) valve to be able to grease a lube system manually*

Closure Plugs

PLUG1/8BSP

PLUGDRIVE1/8BSP

PLUG1/8	Closure plug 1/8BSP
PLUGDRIVE1/8BSP	Closure plug 1/8BSP – drive – grub screw style
PLUGM10	Closure plug M10

Grease Divider Valve Check Valve Fitting

4MMCVFPU

6MMCVFPU

CVDDVXM10

CV6M10

CFNV6MBL

CV1/8BSPFX1/8BSPM

Grease flow

4MMCVFPU	Check valve straight M10 male x 4mm tube pushin fitting suit DDV, DSPP and SSV valves
CFNV6MBL	Check valve straight M10 male x 6mm tube comp fitting (suit DDV and SSV valves) BLACK
CFNV6M	Check valve straight M10 male x 6mm tube comp fitting (suit DDV and SSV valves) SILVER
CFNV6MSS	Stainless Check valve straight M10 male x 6mm tube comp fitting
6MMCVFPU	Check valve straight M10 male x 6mm tube pushin fitting (suit DDV and SSV valves)
CVDDVXM10	Check Valve DDV, DSPP and SSV valves to M10 Female
CV6M18BSP	Check valve straight 1/8BSP x 6mm compression fitting
CV6M10	Check valve straight M10 male x 6mm tube compression fitting
CV6M10SS	Stainless Check valve straight M10 male x 6mm tube compression fitting
CV1/8BSPFX1/8BSPM	Check valve 1/8BSP Male x 1/8BSP Female (flow goes from male to female)
CV1/4BSPFX1/4BSPM	Check valve 1/4BSP Male x 1/4BSP Female (flow goes from male to female)

AUTO LUBE PARTS AND ACCESSORIES

Couplings

RVCCOM	Return Valve Coupling 3 Way Complete

The RVCCOM Return Valve Coupling is typically used for Truck and Trailer Progressive Lube System. The RVCCOM Coupling has a return fitting so grease can be pumped back to the Lube System Reservoir.

Dust Covers

DC6MM

GNCR

GNCY	Grease nipple cover - yellow
GNCR	Grease nipple cover - red
GNCG	Grease nipple cover - green
GNCB	Grease nipple cover - blue
DC6MM	Dust Cap to suit 6mm pushin fitting and 6mm tube

Grease Stickers



GSG10	"GREASE" Sticker 80mm x 20mm – GREEN (pack of 10)
GSR10	"GREASE" Sticker 80mm x 20mm – RED (pack of 10)

Acrylic Signs with mounting hole and double sided tape

SIGNFILLPOINTBL

SIGNGP	Acrylic Sign "Grease Points" Red (100mm x 40mm)
SIGNGW	Acrylic Sign "Grease Weekly" Red (100mm x 40mm)
SIGNGD	Acrylic Sign "Grease Daily" Red (100mm x 40mm)
SINGMGP	Acrylic Sign "Manual Grease Point" Red (100mm x 40mm)
SIGN1PUMP	Acrylic Sign "1 PUMP" Red (100mm x 20mm)
SIGN5PUMPS	Acrylic Sign "5 PUMPS" Red (100mm x 20mm)
SIGN10PUMPS	Acrylic Sign "10 PUMPS" Red (100mm x 20mm)
SIGNGP	Acrylic Sign "Grease Points" Red (100mm x 40mm)
SIGNFILLPOINTBL	Acrylic Sign "Grease System Fill Point" Black (100mm x 55mm)

Filters

31F10

AL45180

31F10	Inlet Inline filter M10M x M10F, 70 micron
AL45180	Filter/Strainer 180um (micron). 1/4BSP Aluminium.

Rotating, Swivel and Banjo Fittings

SU1/8BSPX10MMBR

SU1/8NPT

SU1/8MX1/4FSTR

RU5001/8

BFM10XM10

BF1/8BSP6MM

Oscillating Rotating Unions	
SU1/8BSPX10MMFBR	Brass Swivel Union 1/8BSP male x 10mm female 90 deg (Oscillating)
SU8MMX10MMFBR	Brass Swivel union 8mm Male x 10mm Female 90 deg (Oscillating)
SU1/8NPT	Swivel Union 1/8NPT male x 1/8NPT female 90 deg (Oscillating)
SU1/8MX1/4FSTR	Swivel Union 1/8BSP Male x 1/4BSP Female Straight (Oscillating)
SU1/4MX1/8F90DEG	Swivel Union 1/4BSP Male x 1/8BSP Female 90 deg (Oscillating)
High Speed Roto Unions	
RU1001/8	100RPM Rotary union connector 1/8BSP 90 deg
RU5001/4	500RPM Rotary union connector 1/4BSP 90 deg
RU15001/8	1500RPM Rotary union connector 1/8BSP 90 deg
Banjo Fittings	
BF1/8BSP6MM	Banjo fitting 1/8BSP male x 6mm tube
BF1/8BSP6MM-L	Banjo fitting 1/8BSP male x 6mm tube (L)
BF1/8BSPMX1/8BSPF	Banjo fitting 1/8BSP male x 1/8BSP Female
BFM10XM10F	Banjo fitting M10 male x M10 male x M10 Female
BF14BSPMXM10F	Banjo Fitting 1/4BSP Male x M10 Female

AUTO LUBE PARTS AND ACCESSORIES

Bulkheads for Automatic Lube Systems

BH1/8BSP	Bulkhead (nickel plated) 1/8BSP female thread Thread length: 9mm, Ø 16mm. 1/8BSP grease nipple included
BH1/8BSPSS	Stainless Bulkhead 1/8BSP female thread Thread length: 9mm, Ø 16mm. 1/8BSP grease nipple included
BH1/4BSP	Bulkhead (nickel plated) 1/4BSP female thread Thread length: 15mm, Ø 21mm. 1/4BSP grease nipple included
BH6M	Bulkhead 6mm tube compression fitting Length: 25mm, Ø 12mm 1/8BSP grease nipple included
BH6MSS	Bulkhead (stainless steel) 6mm tube compression fitting Length: 25mm, Ø 12mm 1/8BSP grease nipple included
BH4M	Bulk head 6mm tube compression fitting Length: 10mm, Ø 12mm 6mm grease nipple included
BHS6M6M	Bulkhead straight 6mm tube x 6mm tube
BHS6M6MSS	Stainless Bulkhead straight 6mm tube x 6mm tube
BHS8M8M	Bulkhead straight 8mm tube x 8mm tube
BE906M	90 deg bulkhead 6mm tube x 6mm tube
BE906MSS	Stainless 90 deg bulkhead 6mm tube x 6mm tube
BH906MX6MM11	90 deg Bulkhead 6mm tube x 6mm female (Short) Thread length: 5mm, Ø 12mm. 6mm grease nipple included
BH906MX6MM34	90 deg Bulkhead 6mm tube x 6mm female (Long)Thread length: 21mm, Ø 12mm 6mm grease nipple included
BE908M	90 deg bulkhead 8mm tube x 8mm tube
BE908MSS	Stainless 90 deg bulkhead 8mm tube x 8mm tube
BH1/8BSPFXJIC	Bulkhead 1/8BSP Female x 7/16JIC Male – 1/8BSP grease nipple included
BH1/4BSPFXJICSS	Stainless Bulkhead 1/4BSP Female x 7/16JIC Male – 1/4BSP grease nipple included

TOOLS

Tube Cutters

TCS

TCHD

TC

TC	Tube Cutter – suits nylon, 8.6mm and 11.6mm hose
TCHD	Tube Cutter – suits nylon, 8.6mm and 11.6mm hose
TCS	Tube Cutter – standard duty suit 6mm to 10mm stainless

Tube Bender

TB6	Tube bender suit 6mm stainless
TB8	Tube bender suit 8mm stainless

Grease Guns and Auto Lube Filler Guns

GGUN-400G-PG

GGUN-20KG-KIT

HPTASBLY450G

GGUN-450-LEV-MET

HFA22M

FS400

GGUN-400G-PG	400g pistol grip grease gun
GGUN-400G-LEV	400g lever action grease gun
GGUN-450G-PG	450g pistol grip grease gun
GGUN-450G-LEV	450g lever action grease gun
GGUN-20KG-KIT	20kg air operated grease kit c/w pump, lid, follower plate, hose and on off gun
GGUN-180KG-KIT	180kg air operated grease kit c/w pump, lid, follower plate, hose and on off gun
GK-ON-OFFGUN-RIDGID	On/Off gun with rigid nozzle suit GK20 and GK180
GGUN-400-LEV-MET	400g lever grease gun with electronic grease meter
GGUN-450-LEV-MET	450g lever grease gun with electronic grease meter
GGUN-400-PG-MET	400g pistol grease gun with electronic grease meter
GGUN-450-PG-MET	450g pistol grease gun with electronic grease meter
HPTASBLY450G	High Pressure test grease gun 450g with pressure gauge and relief valve
FS450	450g Filling Syringe, for bulk filling auto lube systems
FS400	400g Filling Syringe, for bulk filling auto lube systems
HFA22M	High Flow adapter for FS450 and FS400 with M22 thread
HFA20M	High Flow adapter for FS450 and FS400 with M20 thread

Digital Grease Meter

0102525	Assalub Digital grease meter with 1/8BSP female inlet and outlet
0102525-1	Assalub Digital grease meter with M10 female inlet and outlet
0102525-2	Assalub Digital grease meter with 1/8NPT female inlet and outlet

NOTE:
Please contact us if you wish to use the digital grease meter with your grease gun. We have the adapters to go from your grease gun to the meter, and from the meter to your grease coupler.

Grease Gun Coupler

4JAW18BSP

QRGNC1/8BSP

4JAW18BSP	4 Jaw grease coupler 1/8BSP
QRGNC1/8BSP	Quick Release Grease Nipple Coupler 1/8BSP
BHC16MMPO	16mm Button Head pull on coupler 1/8BSP
BHCGIANT22M	22mm Button Head pull on coupler

Grease Nipple Thread Tester

GFTT	Grease nipple thread tester

REMOTE INSTALLATION KITS

6mm Nylon Tube Remote Grease Kit with Compression Fittings

GKNT3-SCF1/8BSP

GKNT1-XXX	1 outlet kit c/w anchor block with grease nipples, 3m x 6mm tube, 2 comp fittings
GKNT2-XXX	2 outlet kit c/w anchor block with grease nipples, 6m x 6mm tube, 4 comp fittings
GKNT3-XXX	3 outlet kit c/w anchor block with grease nipples, 9m x 6mm tube, 6 comp fittings
GKNT4-XXX	4 outlet kit c/w anchor block with grease nipples, 12m x 6mm tube, 8 comp fittings
GKNT5-XXX	5 outlet kit c/w anchor block with grease nipples, 15m x 6mm tube, 10 comp fittings
GKNT6-XXX	6 outlet kit c/w anchor block with grease nipples, 18m x 6mm tube, 12 comp fittings
GKNT8-XXX	8 outlet kit c/w anchor block with grease nipples, 25m x 6mm tube, 16 comp fittings

Note: *Change XXX to the fitting thread and orientation you require. Ie GKNT8-CF906M*

8.6mm High Pressure Grease Kit with JIC Hose Ends

GKNT8/JIC-JIC8.6-JICNP1/8BSP

GKNT1/JIC-XXX-YYY	1 outlet kit c/w anchor block with grease nipples, 5m x 8.6mm hose, 2 high pressure JIC fitting assemblies
GKNT2/JIC-XXX-YYY	2 outlet kit c/w anchor block with grease nipples, 10m x 8.6mm hose, 4 high pressure JIC fitting assemblies
GKNT3/JIC-XXX-YYY	3 outlet kit c/w anchor block with grease nipples, 15m x 8.6mm hose, 6 high pressure JIC fitting assemblies
GKNT4/JIC-XXX-YYY	4 outlet kit c/w anchor block with grease nipples, 20m x 8.6mm hose, 8 high pressure JIC fitting assemblies
GKNT5/JIC-XXX-YYY	5 outlet kit c/w anchor block with grease nipples, 25m x 8.6mm hose, 10 high pressure JIC fitting assemblies
GKNT6/JIC-XXX-YYY	6 outlet kit c/w anchor block with grease nipples, 30m x 8.6mm hose, 12 high pressure JIC fitting assemblies
GKNT8/JIC-XXX-YYY	8 outlet kit c/w anchor block with grease nipples, 40m x 8.6mm hose, 16 high pressure JIC fitting assemblies

Note: *Change XXX to the fitting orientation and the YYY to the nipple you require. Ie GKT8/JIC-458.6-JICNIP8MM*

8.6mm High Pressure Grease Kit with Hose Studs and Compression Fittings

GKNT8/HS-SCF1/8BSP

GKNT1/HS-XXX	1 outlet kit c/w anchor block with grease nipples, 5m x 8.6mm hose, 2 high pressure fitting assemblies
GKNT2/HS-XXX	2 outlet kit c/w anchor block with grease nipples, 10m x 8.6mm hose, 4 high pressure fitting assemblies
GKNT3/HS-XXX	3 outlet kit c/w anchor block with grease nipples, 15m x 8.6mm hose, 6 high pressure fitting assemblies
GKNT4/HS-XXX	4 outlet kit c/w anchor block with grease nipples, 20m x 8.6mm hose, 8 high pressure fitting assemblies
GKNT5/HS-XXX	5 outlet kit c/w anchor block with grease nipples, 25m x 8.6mm hose, 10 high pressure fitting assemblies
GKNT6/HS-XXX	6 outlet kit c/w anchor block with grease nipples, 30m x 8.6mm hose, 12 high pressure fitting assemblies
GKNT8/HS-XXX	8 outlet kit c/w anchor block with grease nipples, 40m x 8.6mm hose, 16 high pressure fitting assemblies

S-Cam Starter Kit

SCAM/3	3 POINT S-CAM STARTER KIT INCLUDES: 1 x 3 point 1/8BSP grease block c/w grease nipples 6 x Straight 1/8BSP x 6mm tube compression fittings 3 x 90 Deg Adaptor 1/8BSP Male x 1/8BSP Female 2 x Straight Adaptor M6/1 Male x 1/8BSP Female 2 x Straight Adaptor 1/4UNF Male x 1/8BSP Female 1 x Straight Extension 1/8BSP Male x 1/8BSP Female (23mm) 1 x 10m 6mm nylon tube
SCAM/6	6 POINT S-CAM STARTER KIT INCLUDES: 1 x 6 point 1/8BSP grease block c/w grease nipples 12 x Straight 1/8BSP x 6mm tube compression fittings 6 x 90 Deg Adaptor 1/8BSP Male x 1/8BSP Female 4 x Straight Adaptor M6/1 Male x 1/8BSP Female 4 x Straight Adaptor 1/4UNF Male x 1/8BSP Female 2 x Straight Extension 1/8BSP Male x 1/8BSP Female (23mm) 1 x 25m 6mm nylon tube

GRAB KITS

Lube System Repair Grab Kit

GRAB1-F
GRAB1-E

LUBE SYSTEM REPAIR KIT INCLUDES:
1 x (GRABEMPTY-L) EMPTY GRAB KIT - LARGE
10m x 8.6mm hose (GRAB1-F= filled GRAB1-E= empty)
3 x (A14X18S20) Straight adaptor 1/4BSP Male x 1/8BSP Female 20mm
5 x (A451/8BSP) 45 deg adaptor 1/8BSP Male x1/8BSP Female
10 x (A901/8BSP) 90 deg adaptor 1/8BSPM x 1/8BSP female
5 x (C6M) 6mm x 6mm Straight comp fitting connector
5 x (CF901/8BSP) 90 deg 1/8BSP x 6mm tube comp fitting (LL)
5 x (CF906M) 90 deg M6 x 6mm tube comp fitting
10 x (CN) 6mm nut LL
10 x (CO) 6mm olive
5 x (HS456M24) 45 deg x 6mm hose stud (24mm x 15mm)
5 x (HS906M29) 90 deg x 6mm hose stud (17mm x 29mm)
6 x (HSS08M) Straight 8.6mm x 8.6mm hose stud connector/joiner
10 x (HSS30M) Straight 6mm hose stud (30mm)
6 x (SCF1/8BSP) Straight 1/8BSP x 6mm tube comp fitting
6 x (SCF6M) Straight M6 x 6mm tube comp fitting
20 x(SS8.6) Screw sleeve 8.6mm
20 x (GN1/8BSPSTR) 1/8 BSP Straight. Grease Nipple
1x (TC) Tube Cutter - suit nylon, 8.6mm and 11.3mm tube
1x (TTAPE) THREAD TAPE

Push In Fitting Grab Kit

GRAB2

PUSHIN FITTING GRAB KIT INCLUDES:
1 x (GRABEMPTY-L) EMPTY GRAB KIT - LARGE
10m x 6mm high pressure nylon tubing - empty
5 x (A14 x 18S20) Straight adaptor 1/4BSP Male x 1/8BSP Female 20mm
5 x (A451/8BSP) 45 deg adaptor 1/8BSP Male x 1/8BSP Female
10 x (A901/8BSP) 90 deg adaptor 1/8BSPM x 1/8BSPFemale
5 x (ATUNF x 18) Straight adaptor 1/4UNF Male x 1/8BSP Female
5 x (PIC6M) 6mm x 6mm Straight push in fitting connector
2 x (PISC1/4UNF) Straight 1/4UNF x 6mm tube push in fitting
10 x (PISC1/8BSP) Straight 1/8BSP x 6mm tube push in fitting
10 x (PISC6M) Straight M6 x 6mm tube push in fitting
5 x (PISC8M) Straight M8 x 6mm tube push in fitting
2 x (PISCW901/4UNF) 90 deg swivel 1/4UNF x 6mm tube push in fitting
10 x (PISCW901/8BSP) 90 deg swivel 1/8BSP x 6mmtube push in fitting
10 x (PISCW906M) 90 deg swivel M6 x 6mm tube push in fitting
5 x (PISCW908M) 90 deg swivel M8 x 6mm tube push in fitting
20 x (GN1/8BSPSTR) 1/8BSP Straight Grease Nipples
1 x (TC) Tube Cutter - suit nylon, 8.6mm and 11.3mmtube
1 x (TTAPE) THREAD TAPE

Compression Fitting Grab Kit

GRAB3

COMPRESSION FITTING GRAB KIT INCLUDES:
1 x (GRABEMPTY-L) EMPTY GRAB KIT – LARGE
10m x 6mm high pressure nylon tubing - empty
5 x (A14 x 18S20) Straight adaptor 1/4BSP Male x 1/8BSP Female 20mm
5 x (A451/8BSP) 45 deg adaptor 1/8BSP Male x 1/8BSP Female
10 x (A901/8BSP) 90 deg adaptor 1/8BSPM x 1/8BSP female
2 x (BH6M) Bulkhead 6mm tube compression fitting with nipple
5 x (C6M) 6mm x 6mm Straight comp fitting connector
10 x (CF901/8BSP) 90 deg 1/8BSP x 6mm tube comp fitting (LL)
10 x (CF906M) 90 deg M6 x 6mm tube comp fitting
5 x (CF908M) 90 deg M8 x 6mm tube comp fitting
10 x (CN) 6mm nut LL
10 x (CO) 6mm olive
5 x (SCF1/4BSP-LL)) Straight 1/4BSP x 6mm tube comp fitting (L)
10 x (SCF1/8BSP) Straight 1/8BSP x 6mm tube comp fitting
10 x (SCF6M) Straight M6 x 6mm tube comp fitting
5 x (SCF8M) Straight M8 x 6mm tube comp fitting
1 x (TC) Tube Cutter - suit nylon, 8.6mm and 11.3mm tube
1 x (TTAPE) THREAD TAPE
20 x (GN1/8BSPSTR) 1/8 BSP Straight. Grease Nipple

GRAB KITS

Super Deluxe Grab Kit

GRAB4

SUPER DELUXE COMBO GRAB KIT INCLUDES:
1 x (GRABEMPTY-L) EMPTY GRAB KIT – LARGE
25m x 6mm high pressure nylon tubing - empty
5 x (A14 x 18S20) Straight adaptor 1/4BSP Male x 1/8BSP Female 20mm
5 x (A451/8BSP) 45 deg adaptor 1/8BSP Male x 1/8BSP Female
10 x (A901/8BSP) 90 deg adaptor 1/8BSPM x 1/8BSP female
5 x (ATUNF x 18) Straight adaptor 1/4UNF Male x 1/8BSP Female
1 x (BH6M) Bulkhead 6mm tube compression fitting with nipple
5 x (C6M) 6mm x 6mm Straight comp fitting connector
10 x (CF901/8BSP) 90 deg 1/8BSP x 6mm tube comp fitting (LL)
10 x (CF906M) 90 deg M6 x 6mm tube comp fitting
5 x (CF908M) 90 deg M8 x 6mm tube comp fitting
10 x (CN) 6mm nut LL
10 x (CO) 6mm olive
5 x (PIC6M) 6mm x 6mm Straight push in fitting
10 x (PISC1/8BSP) Straight 1/8BSP x 6mm tube push in fitting
10 x (PISC6M) Straight M6 x 6mm tube push in fitting
5 x (PISC8M) Straight M8 x 6mm tube push in fitting
10 x (PISCW901/8BSP) 90 deg swivel 1/8BSP x 6mm tube push in
10 x (PISCW906M) 90 deg swivel M6 x 6mm tube push in fitting
5 x (PISCW908M) 90 deg swivel M8 x 6mm tube push in fitting
10 x (SCF1/8BSP) Straight 1/8BSP x 6mm tube comp fitting
10 x (SCF6M) Straight M6 x 6mm tube comp fitting
5 x(SCF8M) Straight M8 x 6mm tube comp fitting
20 x (GN1/8BSPSTR) 1/BSP Straight grease nipples
1 x (TC) Tube Cutter - suit nylon, 8.6mm and 11.3mm tube
1 x (TTAPE) THREAD TAPE

8.6mm 7/16 JIC Grab Kit

GRAB5

7/16 JIC 8.6MM GREASE KIT INCLUDES
1 x (GRABEMPTY-S) GRAB KIT EMPTY - SMALL
3 x (JIC458.6) 45 deg 7/16 JIC Reusable hose end for 8.6mm hose
10 x (JIC8.6) Straight 7/16 JIC reusable hose end for 8.6mm hose
10 x (JIC908.6) 90 deg 7/16 JIC reusable hose end for 8.6mm hose
5 x (JICJIC) 7/16 male x 7/16 male nipple straight joiner
6 x (JICNIP1/8BSP) 7/16Male x 1/8BSP male nipple straight
6 x (JICNIP6MM) 7/16 male x 6mm male nipple straight
6 x (JICNIP8MM) 7/16 male x 8mm male nipple straight
23 x (SS8.6) Screw sleeve 8.6mm

1/8BSP Extension Grab Kit

GRAB6

1/8BSP EXTENSIONS GRAB KIT INCLUDES
1 x (GRABEMPTY-L) EMPTY GRAB KIT - LARGE
5 x (A451/8BSP) 45 deg adaptor 1/8BSP Male x 1/8BSP Fem
5 x (A901/8BSP) 90 deg adaptor 1/8BSP Male x 1/8BSP Fem
5 x (AT18X18BSP18) Straight extension 1/8BSP Male x 1/8BSP Fem -18mm
5 x (AT18x18BSP23) Straight e x tension 1/8BSP Male x 1/8BSP Fem-23mm
5 x (AT18X18BSP35) Straight extension 1/8BSP Male x 1/8BSP Fem-35mm
5 x (AT18X 18BSP45) Straight extension 1/8BSP Male x 1/8BSP Fem-45mm
5 x (AT18X18BSP50) Straight extension 1/8BSP male x 1/8BSP Fem-50mm
2 x (AT18X 18BSP111) Straight extension 1/8BSP Male x 1/8BSP Fem-111mm
2 x (AT18X18BSP187) Straight extension 1/8BSP Male x 1/8BSP Fem 187mm
20 x (GN1/8BSPSTR) 1/8 BSP Straight. Grease Nipple

Notes: *All GRAB kits come with a laminated parts label*
Custom GRAB kits can be made. Please contact us if you wish to add/remove fittings

GRAB KITS

The Odd Grease Nipple Size back to 1/8BSP Female Adapter Grab Kit – 1/8BSP Female

GRAB7

ODD GREASE NIPPLE BACK TO 1/8BSP FEMALE GRAB KIT INCLUDES:
1 x (GRABEMPTY-S) GRAB KIT EMPTY - SMALL
5 x (A14X18S20) Straight adaptor 1/4BSP Male x1/8BSP female 20mm
5 x (A451/8BSP) 45 deg adaptor 1/8BSP Male x 1/8BSP Female
5 x (A45M6X18BSP) 45 deg adaptor M6/1M Male x 1/8BSP Female
5 x (A901/4UNFX18BSP) 90 deg adaptor 1/4UNFMale x 1/8BSP Female
5 x (A901/8BSP) 90 deg adaptor 1/8BSPM x 1/8BSP Female
5 x (A90M6X18BSP) 90 deg adaptor M6/1M Male x 1/8BSP Female
5 x (A90M8X18BSP) 90 deg adaptor M8/1M Male x 1/8 BSP Female
5 x (AT18X18BSP50) Straight extension 1/8BSP Male x 1/8BSP Female 50mm
5 x (ATM10X18BSP18) Straight adaptor M10 male x 1/8BSP Female 18mm long
5 x (ATM5X18BSPBR) Brass straight adaptor M5/0.8 x 1/8BSP Female
5 x (ATM6X18BSP) Straight adaptor M6/1.0 male x 1/8BSP female
5 x (ATM8X18BSP) Straight adaptor M8 male x 1/8BSP female
5 x (ATUNFX18) Straight adaptor 1/4UNF Male x 1/8BSP Female
20x[GN1/8BSPSTR) 1/8 BSP Straight. Grease Nipples

11.3mm Grease Line and Fitting Kit



GRAB8-F
GRAB8-E

11.3mm GREASE LINE AND FITTING KIT INCLUDES
1 x (GRABEMPTY-L) EMPTY GRAB KIT - LARGE
20m x 11.3mm hose (GRAB8-F= filled GRAB8-E= empty)
5 x (HS11908M) 90 deg hose stud 8mm - 11.3mm hose (22mm x 36mm)
5 x (HS11458M) 45 deg hose stud 8mm - 11.3mm hose (22mm x 45mm)
10 x (HS11S820M) Straight hose stud 8mm - 11.3mm hose (20mm)
10 x (SCF086M) Straight M6 x 8mm tube compression fitting
10 x (SCF081/8BSP) Straight 1/8BSP x 8mm tube compression fitting
10 x (CF90081/8BSP) 90 degree 1/8BSP x 8mm tube compression fitting
5 x (ATM6X18BSP) Straight adaptor M6/1.0 male x1/8BSP female
5 x (A90M6X18BSP) 90 deg adaptor M6/1.0 Male x 1/8BSP Female
5 x (ATM8X18BSP) Straight adaptor M8 male x 1/8BSP female
5 x (A451/8BSP) 45 deg adaptor 1/8BSP Male x 1/8BSP Female
5 x (A901/8BSP) 90 deg adaptor 1/8BSPM x 1/8BSPFemale
5 x (A90M8X18BSP) 90 deg adaptor M8/1.0 Male x1/8 BSP Female
5 x (C8M) 8mm x 8mm Straight comp fitting connector
5 x (A14X18S20) Straight adaptor 1/4BSP Male x 1/8BSP Female 20mm
10 x (CO-8) 8mm Olive
10 x (CN-8) 8mm nut (LL)
1 x (TC) Tube Cutter - suit nylon, 8.6mm and 11.3mmtube

1/4BSP Female Single Point Lubricator Grab Kit

GRAB9

1/4BSP FEMALE SINGLE POINT LUBRICATOR GRAB KIT INCLUDES:
1 x (GRABEMPTY-L) EMPTY GRAB KIT - LARGE
10 x (A14X18S20) Straight adaptor 1/4BSP Male x1/8BSP Female 20mm
20 x (A451/8BSP) 45 deg adaptor 1/8BSP Male x 1/8BSP Female
20 x (A901/8BSP) 90 deg adaptor 1/8BSPM x 1/8BSP Female
40 x (AT18X14BSP) Straight adaptor 1/8BSP male x 1/4BSP female
10 x (AT18X18BSP35) Straight extension 1/8BSP Male x 1/8BSP Fem 35mm
10 x (AT18X18BSP50) Straight extension 1/8BSP Male x 1/8BSP Fem 50mm
10 x (ATM6X18BSP) Straight adaptor M6/1.0 male x 1/8BSP female
10 x (ATM8X18BSP) Straight adaptor M8 male x 1/8BSP female
10 x (ATUNFX18) Straight adaptor 1/4UNF Male x 1/8BSP Female

GRAB KITS

Large Truck and Trailer Auto Lube Grab Kit (suit ILC)

GRAB10

Large Truck and Trailer Auto Lube Grab Kit includes:
1 x (GRABEMPTY-L) EMPTY GRAB KIT - LARGE
10m x 8.6mm hose - filled
10m x 6mm high pressure nylon tubing - empty
6 x (SS8.6) Screw sleeve 8.6mm
10 x (CF906M) 90 deg M6 x 6mm tube comp fitting
4 x (CF9010M) 90 deg M10 x 6mm tube comp fitting
10 x (CF901/8BSP) 90 deg 1/8BSP x 6mm tube comp fitting (LL)
10 x (SCF6M) Straight M6 x 6mm tube comp fitting
6 x (SCF8M) Straight M8 x 6mm tube comp fitting
10 x (SCF1/8BSP) Straight 1/8BSP x 6mm tube comp fitting
10 x (C6M) 6mm x 6mm Straight comp fitting connector
10 x (CN) 6mm nut LL
10 x (CO) 6mm olive
10 x (DCCO06BR) Double Cone Olive - suit 6mm - brass
10 x (06.052.0) DPX OUTLET 6mm TUBE OLIVE
10 x (04.052.0) DPX OUTLET 6mm TUBE NUT
4 x (PISCW901/8BSP) 90 deg swivel 1/8BSP x 6mm tube push in fitting
6 x (HSSGR20M) Straight 6mm hose stud with groove (20mm)

Mini Truck and Trailer Auto Lube Grab Kit (suit ILC)

GRAB11

Mini Truck and Trailer Auto Lube Grab Kit includes:
1 x (GRABEMPTY-S] GRAB KIT EMPTY - SMALL 2 x (SS8.6] Screw sleeve 8.6mm
2 x (HSS20M] Straight 6mm hose stud (20mm)
8 x (CF906M] 90 deg M6 x 6mm tube comp fitting
2 x (CF9010M] 90 deg M10 x 6mm tube comp fitting
5 x (CF901/8BSP] 90 deg 1/8BSP x 6mm tube comp fitting (LL)
5 x (SCF6M] Straight M6 x 6mm tube comp fitting
2 x (SCF8M] Straight M8 x 6mm tube comp fitting
2 x (SCF1/8BSP] Straight 1/8BSP x 6mm tube comp fitting
8 x (C6M] 6mm x 6mm Straight comp fitting connector
8 x (CN] 6mm nut LL
8 x (CO] 6mm olive
8 x (DCCO06BR] Double Cone Olive - suit 6mm - brass
8 x (04.052.0] DPX OUTLET 6mm TUBE NUT
8 x (06.052.0] DPX OUTLET 6mm TUBE OLIVE
1 x (PISCW901/8BSP] 90 deg swivel 1/8BSP x 6mm tube push in fitting

Construction Auto Lube Grab Kit Large (suit ILC)

GRAB12

Construction Auto Lube Grab Kit Large includes:
1 x (GRABEMPTY-L) EMPTY GRAB KIT - LARGE
20m x 8.6mm hose - filled
25m x 6mm high pressure nylon tubing - empty
12 x (SS8.6) Screw sleeve 8.6mm
12 x (HSS20M) Straight 6mm hose stud (20mm)
6 x (HSS30M) Straight 6mm hose stud (30mm)
12 x (HS906M21) 90 deg x 6mm hose stud (13mm x 21mm)
6 x (HS906M37) 90 deg x 6mm hose stud (28mm x 37mm)
6 x (HS456M35) 45 deg x 6mm hose stud (35mm x 25mm)
12 x (SCF1/8BSP) Straight 1/8BSP x 6mm tube comp fitting
2 x (CF901/8BSP) 90 deg 1/8BSP x 6mm tube comp fitting (LL)
2 x (CF908M) 90 deg M8 x 6mm tube comp fitting
2 x (CF906M) 90 deg M6 x 6mm tube comp fitting
1 x (SPG925) 25m x Spiral guard 9mm (suits the8.6mm hose)
12 x (C6M) 6mm x 6mm Straight comp fitting connector
12 x (CO) 6mm olive
1 x (CO-8-L) 8mm Olive - L
12 x (CN) 6mm nut LL
1 x (CN-L) 6mm nut L
4 x (AT18X18BSP30) Straight extension 1/8BSP Male
x 1/8BSP Female 30mm
4 x (A901/8BSP) 90 deg adaptor 1/8BSPM x 1/8BSP Female
6 x (CV6M10) Check valve M10x1 6mm Connector

Empty grab kit

GRABEMPTY-L	Large grab kit - empty
GRABEMPTY-S	Small grab kit – empty

GREASE NIPPLES

Standard Grease Nipples

GN6MMSTR	Straight 6mm x 1.0mm grease nipple
GN6MM45	45 deg 6mm x 1.0mm grease nipple
GN6MM90	90 deg 6mm x 1.0mm grease nipple
GN8MMSTR	Straight 8mm x 1.0mm grease nipple
GN8MM45	45 deg 8mm x 1.0mm grease nipple
GN8MM90	90 deg 8mm x 1.0mm grease nipple
GN10MMSTR	Straight 10mm x 1.0mm grease nipple
GN10MMSTR-HP	Straight High Pressure 10mm x 1.0mm grease nipple with red dust cap (use for lube systems)
GN10MM45	45 deg 10mm x 1.0mm grease nipple
GN10MM90	90 deg 10mm x 1.0mm grease nipple
GN1/8BSPSTR	Straight 1/8BSP grease nipple
GN1/8BSPSTR-HP	High Pressure Grease Nipple 1/8BSP Straight with red dust cap (use for lube systems
GN1/8BSP45	45 deg 1/8BSP grease nipple
GN1/8BSP90	90 deg 1/8BSP grease nipple
GN1/4BSPSTR	Straight 1/4BSP Straight. Grease Nipple
GN1/4BSP45	45 deg 1/4BSP grease nipple
GN1/4BSP90	90 deg 1/4BSP grease nipple
GN6MMSTRSS	Stainless Grease nipples 6mm straight - (304)
GN6MM45SS	Stainless Grese nipple 6mm 45 deg - (304)
GN6MM90SS	Stainless Grease nipples 6mm 90 deg - (304)
GN8MMSTRSS	Stainless Grease nipples 8mm straight - (304)
GN8MM45SS	Stainless Grese nipple 8mm 45 deg - (304)
GN8MM90SS	Stainless Grease nipples 8mm 90 deg - (304)
GN10MMSTRSS	Stainless Grease nipples 10mm straight - (304)
GN10MM45SS	Stainless Grease nipple 10mm 45 deg - (304)
GN10MM90SS	Stainless Grease nipples 10mm 90 deg - (304)
GN1/8BSPSTRSS	Stainless Grease nipple 1/8BSP straight - (304)
GN1/8BSP90SS	Stainless Grease nipple 1/8BSP 90 deg - (304)
GN1/8BSP45SS	Stainless grease nipple 1/8BSP 45 deg - (304)
GN1/8NPTSTRSS	Stainless Grease nipple 1/8NPT Straight - (304)
GN1/8NPT90SS	Stainless Grease nipple 1/8NPT 90 deg - (304)
GN1/8NPT45SS	Stainless grease nipple 1/8NPT 45 deg - (304)
GN1/4BSPSTRSS	Stainless Grease Nipple 1/4BSP straight - (304)
GN1/4BSP45SS	Stainless grease nipple 1/4BSP 45 deg - (304)
GN1/4BSP90SS	Stainless Grease nipples 1/4BSP 90 deg - (304)
GN1/4NPTSTRSS	Stainless Grease nipple 1/4NPT straight - (316)
GN1/4NPT90SS	Stainless grease nipple 1/4NPT 90 deg - (304)
GN3/8BSPSTRSS	Stainless Grease nipple 3/8BSP Straight - (304)
GN3/8BSP45SS	Stainless grease nipple 3/8BSP 45 deg - (304)
GN3/8BSP90SS	Stainless grease nipple 3/8BSP 90 deg - (304)

GREASE NIPPLES

Button Head Grease Nipples

GNBH1/8BSPSTR	Button Head (16mm) Grease nipple 1/8BSP
GNGIANTBH1/4BSP	Button Head (22mm) Straight Grease Nipple 1/4" BSP
GNBH6MMSTRSS	Stainless Button Head (16mm) Grease nipple 6MM – (304)
GNBH8MMSTRSS	Stainless Button Head (16mm) Grease nipple 8MM – (304)
GNBH1/8BSPSS	Stainless Steel Button Head Straight Grease Nipple 1/8" BSP
GNBH1/4BSPSS	Stainless Steel Button Head (16mm) Grease Nipple 1/4" BSP - (304)
GNBH1/4NPTSTRSS	Stainless Button Head (16mm) Grease nipple 1/4BNPT – (304)
GNBH16X1.5MMSS	Stainless Steel Button Head (16mm) Grease Nipple 16mm x 1.5 – (304)
GNGIANTBH1/4BSPSS	Stainless Button Head (22mm) Straight Grease Nipple 1/4" BSP

Grease Nipple Kits

GNKITIMP/110	Grease Nipple Kit – Imperial – 110 assorted nipples
GNKITMET/110	Grease Nipple Kit – Metric – 110 assorted nipples
GNKITASSORT/60SS	Stainless Steel Grease Nipple Assortment Kit metric and imperial 60 pieces
GNKITASSORT/120SS	Stainless Steel Grease Nipple Assortment Kit metric and imperial 120 pieces
GNKITMET/110SS	Stainless Steel Grease Nipple Kit - Metric - 110 Assorted Nipples
GNKITIMP/110SS	Stainless Grease Nipple Kit - Imperial - 110 Assorted Nipples
GNKITASSORT/240SS	Stainless Steel Grease Nipple Assortment Kit metric and imperial 240 pieces

TYPICAL INSTALLATIONS

Miller Nitro Chassis and Boom Sprayer

- 6mm nylon tube system with push-in fitting
- Improved lubrication efficiency and made it easier for owner

Miller Nitro

Right hand grease anchor block bank

Left Hand grease anchor block bank

Suspension grease lines

Axel grease anchor block bank

Steering and King Pin

TYPICAL INSTALLATIONS

Mack Truck

- 8.6mm remote grease tube with reusable swivel fittings.
- Efficiency and safety improved

Mack Truck

5 x 5 grease anchor blocks

S-Cam grease lines

Turn table grease lines

Wharf Conveyor System

- 6mm stainless remote grease tube with compression fitting.
- Installed due to new safety guarding erected, making it impossible to grease.

2 outlet grease anchor block

Bearing and seal grease lines

CONTACT

Manufactured and promoted by Lube Control Pty Ltd

Distributed by:

Fat Adder Remote Grease Lines & Auto Lube Fittings

p: 1300 917 946
e: sales@lubecontrol.com.au
www.remotegreaselines.com
www.lubecontrol.com.au